- 4. Interstitial Monitoring. Interstitial monitoring of double-walled or jacketed piping shall either be conducted continuously by means of an automatic leak sensing device that signals to the operator the presence of any regulated substance in the interstitial space or sump, or conducted manually every 30 days by means of a procedure gapable of detecting the presence of any regulated substance in the interstitial space or sump.
- The interstitial space or sump shall be maintained free of water, debris, of anything that could interfere with leak detection capabilities.
- b. Subparagraph B. Aa of his Section does not apply to containment sumps that were installed prior to December 20, 2008, that do not Mize interstitial monitoring as a piping release detection method

AUTHORITY NOTE: Propulgated accordance with R.S.

30:2001 et seq.

HISTORICAL NOTE: Promulgated by the Department of Environmental Quality Office of Solid and Hazardous Waste, Underground Storage Tank Division, LR 16:61 (July 1990), amended by the Office of Environmental Assessment LR 31:1072 (May 2005), amended by the Office of the Secretary, Legal Affairs Division, LR 36: 2172 (October 2007), LR 34:

> Herman Robinson, CPM **Executive Counsel**

POTPOURRI

Department of Environmental Quality Office of the Secretary

State Implementation Plan for Regional Haze Program

Under the authority of the Louisiana Environmental Quality Act, R. S. 30:2001 et seq., the secretary gives notice that the Office of Environmental Assessment, Plan Development Section, will submit a proposed revision to the State Implementation Plan (SIP) for the Regional Haze Program as required under the Clean Air Act, Part C, Section 169, and 40 CFR Part 51.308. Regional haze is visibility impairment caused by the cumulative air pollutant emissions from numerous sources over a wide geographic area.

Section 169A of the Clean Air Act sets forth a national goal for visibility, which is the "prevention of any future, and the remedying of any existing, impairment of visibility in Class I areas which impairment results from manmade air pollution." Breton Wilderness Area, a chain of barrier islands approximately 30 miles off the southeast coast of Louisiana, is classified as a Class I Federal Area, and is afforded visibility protection under the Clean Air Act, Part C, Section 169, and 40 CFR Part 51.308.

A public hearing will be held at 1:30 p.m. on January 24, 2008, in the Galvez Building, Oliver Pollock Conference Room, 602 N. Fifth Street, Baton Rouge, LA. Should individuals with a disability need an accommodation in order to participate, please contact Vivian H. Aucoin at (225) 219-3575 or at the address listed below. Interested persons are invited to attend and submit oral comments on the proposal.

All interested persons are invited to submit written comments concerning the SIP revision no later than 4:30 p.m., January 31, 2008, to Vivian H. Aucoin, Office of Environmental Assessment, Box 4314, Baton Rouge, LA 70821-4314 or to FAX (225) 219-3582 or by e-mail to vivian.aucoin@la.gov.

A copy of the SIP revision for the Regional Haze Program may be viewed from 8 a.m. to 4:30 p.m. in the DEQ Public Records Center, Room 127, 602 N. Fifth Street, Baton Rouge, LA. The document is available on the Internet at www.deq.louisiana.gov/portal/Default.aspx?tabid=2381.

> Herman Robinson **CPM Executive Counsel**

2711#029

POTPOURRI

Office of the Governor **Division of Administration** Office of Facility Planning And Control

Public Hearing—Substantive Change-Louriana Building Code (LAC 34:III.13

A Notice of Intent was published in the August 20, 2007, edition of the Louisiana Register (See LR Vol. 33, No. 08, pages 1725-1726) to establish the current editions of the Louisiana Building Code. That Notice of Intent established the 2003 Edition of the Life Safety Code, Standard 101 as the current edition. Since it was published the Louisiana Office of State Fire Marshal has adopted the 2006 Edition of the Life Safety Code, Standard 101 as the edition that it will enforce. In order to coordinate the Louisiana Building Code with the Louisiana Office of State Fire Marshal, Facility Planning and Control has determined that the 2006 Edition of the Life Safety Code, Standard 101 should be established as the current edition for the Youisiana Building Code. In addition, the statutory reference for the Louisiana Building Code in the Notice of Intent was incorrect. Therefore, the following amendment is hereby made to the proposed Rule.

Tatle 34 GOVERNMENT CONTRACTS, PROCUREMENT AND PROFERTY CONTROL

Part III. Facility Planning and Control Capita/Improvement Projects Chapter 1. Subchapter A. Procedure Manual

§131. Louisiana Building Code

- A. R.S. 40:1722 establishes the Louitiana Building Code and directs that the following codes be established as the standards as minimum standards for this code. These codes shall be established as constituting the code in the editions indicated:
- 1. the Life Safety Code, Standard 101, 2006 Edition as published by the National Fire Protection Association;
- 2. Part XIV (Plumbing) of the State Sanitary Code as promulgated by the secretary of the Department of Health and Hospitals;
- 3. the International Building Code, 2006 Edition as published by the International Code Council;
- the International Mechanical Code, 2006 Edition as published by the International Code Council;
- 5. the National Electric Code (NFPA No. 70) 2005 lition as published by the National Fire Protection Association.

CERTIFIED COPY

CAPITAL CITY PRESS

Publisher of THE ADVOCATE

PROOF OF PUBLICATION

The hereto attached notice was published in THE ADVOCATE, a daily newspaper of general circulation published in Baton Rouge, Louisiana, and the official Journal of the State of Louisiana, the City of Baton Rouge, and the Parish of East Baton Rouge, in the following issues:

10/13/06

Susan A. Bush, Public Notices Clerk

Sworn and subscribed before me by the person whose signature appears above:

October 13, 2006

Pegeen Singley, Notary Public, #66505 My Commission Expires: Indefinite Baton Rouge, Louisiana

RICEIVED

MOV 06 2006

LDEQ/OSEC/LAD
REGULATION DEVELOPMENT SECTION

3435861

343586

DEQ - OSEC/LARD REGULATION
REMENDER WEATHERSPOON
PO BOX 4302
BATON ROUGE

A 70821-4314

POTPOURRI Department of Environmental Quality Office of the Secretary Legal Affairs Division

Identification of BART Eligible Sources (0610Pot3)

In a cover letter dated June 8, 2006, and electronically distributed, DEQ requested that all facilities that submit annual emissions reports to the Emission Inventory complete a second Best Available Retrofit Technology (BART) survey. The purpose of the second survey was to update the BART-eligible list to reflect the impact of Hurricanes Katrina and Rita on facilities in Louisiana. The BART-eligible list below is a requirement of Environmental Protection Agency (EPA) finalized amendments to the July 1999 Regional Haze Rule for Protection of Visibility in National Parks and Wilderness Areas. The final rule and other EPA documentation related to BART may be found at http://www.epa.gov/visibility/actions.html.

The BART requirements of the regional haze rule apply to facilities built between 1962 and 1977 that have the potential to emit facility-wide more than 250 tons per year (tpy) of one of more visibility-impairing pollutants and impact a mandatory class I Federal area. These stationary sources fall into 26 categories, including utility and industrial boilers and large industrial plants such as pulp mills, refineries, and smelters.

If any of the information contained in the list is incorrect or if subject facilities have been omitted, a facility representative should contact James Orgeron at (225) 219-3578 or at James Orgeron@LA.gov, or Darlene Dosher-Collard at (225) 219-3580 or at Darlene Dosher-Collard@LA.gov, of the Office of Environmental Assessment, Air Quality Assessment Division, Plan Development Section. All facilities on this list are considered to have a BART eligible source and to be subject to all the requirements of the BART rule.

FACILITY NAME	AINUMBER	COMPANY NAME	EIS ID
Baton Rouge Chemical Plant	286	ExxonMobil	0840-0014
Little Gypsy	687	Entergy Louisiana	2520-0009
Alexandria Plant	872	Procter & Gamble Manufacturing	2360-0051
	-	Company -	4637 A
Clifton Ridge Terminal	1006	CITGO Petroleum Corporation	0520-0036
Pontchartrain Diamines Unit	1101	DuPont	2580-0001
Geismar Plant	1136	Shell Chemical LP	0180-0010
Meraux Refinery	1238	Murphy Oil USA, Inc.	2500-0001
Lake Charles Facility	1244	Firestone Polymers LLC	0520-0007
Lake Charles Manufacturing	1250	CITGO Petroleum	0520-0016
Complex Comple		为魔 (1917年)	
Derivatives	1255	PPG Industries, Inc.	0520-0004
Cabot Ville Platte Plant	1291	Cabot Corporation	0920-0001
Baton Rouge Facility	1314	Rhodia, Inc.	0840-0033
Bastrop - Louisiana Mill	1338	International Paper Company	1920-0001
Chalmette Refinery	1376	Chalmette Refining, L.L.C.	2500-0005
Gramercy Alumina	1388	Gramercy Alumina	2560-0002
Baton Rouge Plant	1395	Lion Copolymer LLC	0840-0008
Baton Rouge Smelter	1396	Exide Technologies	0840-0004
Norco Refinery	1406	Motiva Enterprises LLC	2520-0002
Louisiana Operations	1409	The Dow Chemical Company	1280-0008
Geismar Plant	1433	Chemtura USA Corporation	0180-0012
Cos-Mar Styrene Monomer	1607	TOTAL Petrochemicals USA, Inc.	1280-0013
Plant	:0		да . н. С. С. С н <u>а</u> ве.
Oak Point Plant	1708	Chevron Oronite Company LLC	2240-0001
Geismar Site	2049	BASF Corporation	0180-0013
St. Francisville Mill	2073	Tembec USA LLC	3160-0003
Taft/Star Manufacturing	2083	Union Carbide Corp.	2520-0001
Complex	*		Santa Santa
Pineville Mill	2140	International Paper	2360-0001
Sulfuric Acid Plant	2340	Chemtrade Refinery Services Inc.	0500-0003
Port Allen Refinery	2366	Placid Refining Company, L.L.C.	·3120-0010
St. Gabriel Plant - HCN Unit	2367	Syngenta Crop Protection	1280-0007
St. James Styrene Facility	2384	Chevron Phillips Chemical Company,	2560-0007

CF Industries Donaldsonville	2416	CF Industries	0180-0004
Alliance Refinery	2418	ConocoPhillips Co.	.2240-0015
Faustina Plant	2425	Mosaic Fertilizer LLC	2560-0005
Teche Power Station	2432	Cleco Power LLC	2660-0007
Ivanhoe Carbon Black Plant	2518	Degussa Engineered Carbons LP.	2660-0018
Uncle Sam Plant	2532	Mosaic Fertilizer LLC	2560-0004
Port Hudson Operations	2617	Georgia Pacific	0840-0010
Willow Glen	2625	Entergy Gulf States	1280-0010
ExxonMobil Baton Rouge Refinery	2638	ExxonMobil Refining & Supply Co.	.0840-0015
Red River Mill	2645	Weyerhaeuser Company	1980-0004
Convent Refinery	2719	Motiva Enterprises LLC	2560-0001
Ninemile Point	2841	-Entergy Louisiana	1340-0006
Rodemacher Power Station	2922	Clecò Power LLC	2360-0010
Gåryville Refinery	3165	Marathon Petroleum Company LLC- LA Refining Division	2580-0013
Lake Charles Chemical Plant	3271	Sasol North America Inc.	0520-0017
Facility Wide	3647	Smurfit-Stone Container Enterprise,	1300-0001
Geismar Plant - Ammonia Group	3732	PCS Nitrogen	0180-0028
Addis Plant	4174	Sid Richardson Carbon Company	3120-0006
North Bend	4998	Columbian Chemicals Company	2660-0005
Lake Charles Plant	5337	Equistar Chemicals	0520-0002
Geismar Ethylene Plant	5565	Williams Olefins LLC	0180-0030
Nelson	7893	Entergy Gulf States	0520-0014
Ruston Electrical Generation	8167	0.10	1720-0007
Station		City of Ruston	1720-0007
	8838	Terrebonne Parish Consolidated Government	2880-0019
Station		Terrebonne Parish Consolidated Government Louisiana Generating LLO	
Station Houma Generating Station	8838	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept.	2880-0019 2260-0010 1980-0009
Station Houma Generating Station Big Cajun 1 Power Plant Springfield Boiler Sterlington	8838 11917	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept Entergy Louisiana	2880-0019 2260-0010
Station Houma Generating Station Big Cajun 1 Power Plant Springfield Boiler	8838 11917 19375	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept.	2880-0019 2260-0010 1980-0009
Station Houma Generating Station Big Cajun 1 Power Plant Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill	8838 11917 19375 19483	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept Entergy Louisiana	2880-0019 2260-0010 1980-0009 -2160-0004
Station Houma Generating Station Big Cajun 1 Power Plant Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant	8838 11917 19375 19483 19901 19933 23941	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept. Entergy Louisiana* Cabot Corporation Boise Cascade Koch Nitrogen Company	2880-0019 2260-0010 1980-0009 -2160-0004 2660-0004
Station Houma Generating Station Big Cajun 1 Power Plant. Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery	8838 11917 19375 19483 19901 19933	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept Entergy Louisiand * Cabot Corporation Boise Cascade Koch Nitrogen Company Valero Refining New Orleans, LLC	2880-0019 2260-0010 1980-0009 2160-0004 0320-0002 2160-0017 2520-0016
Station Houma Generating Station Big Cajun 1 Power Plant. Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant	8838 11917 19375 19483 19901 19933 23941	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept Entergy Louisiana Cabor Corporation Bolse Cascade Koch Nitrogen Company Valero Refining New Orleans, LLC Louisiana Energy and Power Authority	2880-0019 2260-0010 1980-0009 2160-0004 0320-0002 2160-0017
Station Houma Generating Station Big Cajun 1 Power Plant Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant	8838 11917 19375 19483 19901 19933 23941 26003 26034	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept Entergy Louisiana Cabot Corporation Boise Cascade Koch Nitrogen Company Valero Refining New Orleans, LLC Louisiana Energy and Power	2880-0019 2260-0010 1980-0009 2160-0004 0320-0002 2160-0017 2520-0016
Station Houma Generating Station Big Cajun 1 Power Plant. Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant Mörgan City Steam Plant	8838 11917 19375 19483 19901 19933 23941 26003 26034	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept. Entergy Louisiana* Cabot Corporation Boise Cascade Koch Nitrogen Company Valero Retining New Orleans, LLC Louisiana Energy and Power Authority Louisiana Energy and Power	2880-0019 2260-0010 1980-0009 2160-0004 2660-0004 2160-0017 2520-0016 1280-0044
Station Houma Generating Station Big Cajun 1 Power Plant Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant Morgan City Steam Plant Norco Chemical Plant - East	8838 11917 19375 19483 19901 19933 23941 26003 26034 26326	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept Entergy Louisiana Cabot Corporation Boise Cascade Koch Nitrogen Company Valero Refining New Orleans, LLC Louisiana Energy and Power Authority Louisiana Energy and Power Authority Shell Chemical LP	2880-0019 2260-0010 1980-0009 -2160-0004 0320-0002 2160-0017 2520-0016 1280-0044 2660-0069
Station Houma Generating Station Big Cajun 1 Power Plant. Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant Morgan City Steam Plant Norco Chemical Plant - East Site Lake Charles Plant Louis "Doc" Bonin Electric Generation Station	8838 11917 19375 19483 19901 19933 23941 26003 26034 26326	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept. Entergy Louisiana * Cabor Gorporation Bolse Cascade Koch Nitrogen Company Valero Retining New Orleans, LLC Louisiana Energy and Power Authority Couisiana Energy and Power Authority Shell Chemical LP	2880-0019 2260-0010 1980-0009 2160-0004 0320-0002 2160-0017 2520-0016 1280-0044 2660-0069 2520-0079
Station Houma Generating Station Big Cajun 1 Power Plant. Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant Morgan City Steam Plant Norco Chemical Plant - East Site Lake Charles Plant Louis "Doc" Bonin Electric	8838 11917 19375 19483 19901 19933 23941 26003 26034 26326 26336 27051	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept. Entergy Louisiana* Cabot Corporation Boise Cascade Koch Nitrogen Company Valero Retining New Orleans, LLC Louisiana Energy and Power Authority ** Louisiana Energy and Power Authority Shell Chemical LP Lyondell Chemical Company Lafayette Utilities System	2880-0019 2260-0010 1980-0009 2160-0004 2660-0002 2160-0017 2520-0016 1280-0044 2660-0069 2520-0079 0520-0189 1520-0002
Station Houma Generating Station Big Cajun 1 Power Plant. Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant Morgan City Steam Plant Norco Chemical Plant - East Site Lake Charles Plant Louis "Doc" Bonin Electric Generation Station	8838 11917 19375 19483 19901 19933 23941 26003 26034 26326 26336 27051 31135	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept. Entergy Louisiana* Cabot Corporation Boise Cascade Koch Nitrogen Company Valero Refining New Orleans, LLC Louisiana Energy and Power Authority Louisiana Energy and Power Authority Shell Chemical LP Lyondell Chemical Company Lafayette Utilities System	2880-0019 2260-0010 1980-0009 2160-0004 2660-0002 2160-0017 2520-0016 1280-0044 2660-0069 2520-0079 0520-0189 1520-0002
Station Houma Generating Station Big Cajun 1 Power Plant Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant Morgan City Steam Plant Norco Chemical Plant - East Site Lake Charles Plant Louis "Doc" Bonin Electric Generation Station Michoud	8838 11917 19375 19483 19901 19933 23941 26003 26034 26326 26336 27051 31135	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept: Entergy Louisiand* Cabor Gorporation Boise Cascade Koch Nitrogen Company Valero Retining New Orleans, LLC Louisiana Energy and Power Authority Louisiana Energy and Power Authority Shell Chemical LP Lyondell Chemical Company Lafayette Utilities System Entergy New Orleans	2880-0019 2260-0010 1980-0009 2160-0004 0320-0002 2160-0017 2520-0016 1280-0044 2660-0069 2520-0079 0520-0189 1520-0002
Station Houma Generating Station Big Cajun 1 Power Plant. Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant Morgan City Steam Plant Norco Chemical Plant - East Site Lake Charles Plant Louis "Doc" Bonin Electric Generation Station Michoud" St. James Terminal	8838 11917 19375 19483 19901 19933 23941 26003 26034 26326 26336 27051 31135 32494 36538	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept. Entergy Louisiana * Cabor Corporation Bolse Cascade Koch Nitrogen Company Valero Retining New Orleans, LLC Louisiana Energy and Power Authority Coulsiana Energy and Power Authority Shell Chemical LP Lyondell Chemical Company Lafayette Utilities System Entergy New Orleans Koch Pipeline Company, L.P.	2880-0019 2260-0010 1980-0009 2160-0004 2660-0002 2160-0017 2520-0016 1280-0044 2660-0069 2520-0079 0520-0189 1520-0002 2140-0014 2560-0006
Station Houma Generating Station Big Cajun 1 Power Plant. Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant Morgan City Steam Plant Norco Chemical Plant - East Site Lake Charles Plant Louis "Doc" Bonin Electric Generation Station Michoud St. James Terminal Pecan Grove Tank Pontchartrain Chloroprene	8838 11917 19375 19483 19901 19933 23941 26003 26034 26326 26336 27051 31135 32494 36538 37119 38806	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept. Entergy Louisiana* Cabot Corporation Bolse Cascade Koch Nitrogen Company Valero Refining New Orleans, LLC Louisiana Energy and Power Authority Louisiana Energy and Power Authority Shell Chemical LP Lyondell Chemical Company Lafayette Utilities System Entergy New Orleans Koch Pipeline Company, L.P. CITGO Petroleum Corporation DuPont Performance Elastomers	2880-0019 2260-0010 1980-0009 2160-0004 2660-0002 2160-0017 2520-0016 1280-0044 2660-0069 2520-0079 0520-0189 1520-0002 2140-0014 2560-0006 0520-0035 2580-0041
Station Houma Generating Station Big Cajun 1 Power Plant Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant Morgan City Steam Plant Norco Chemical Plant - East Site Lake Charles Plant Louis "Doc" Bonin Electric Generation Station Michoud St. James Terminal Pecan Grove Tank Pontchartrain Chloroprene Unit	8838 11917 19375 19483 19901 19933 23941 26003 26034 26326 26326 26336 27051 31135 32494 36538 37119 38806	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept. Entergy Louisiana* Cabot Corporation Boise Cascade Koch Nitrogen Company Valero Retining New Orleans, LLC Louisiana Energy and Power Authority **Louisiana Energy and Power Authority Shell Chemical LP Lyondell Chemical Company Lafayette Utilities System Entergy New Orleans Koch Pipeline Company, L.P. CITGO Petroleum Corporation DuPont Performance Elastomers	2880-0019 2260-0010 1980-0009 2160-0004 2660-0002 2160-0017 2520-0016 1280-0044 2660-0069 2520-0079 0520-0189 1520-0002 2140-0014 2560-0066 0520-0035 2580-0041
Station Houma Generating Station Big Cajun 1 Power Plant Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant Morgan City Steam Plant Norco Chemical Plant - East Site Lake Charles Plant Louis "Doc" Bonin Electric Generation Station Michoud" St. James Terminal Pecan Grove Tank Pontchartrain Chloroprene Unit Big Cajun 2 Power Plant	8838 11917 19375 19483 19901 19933 23941 26003 26034 26326 26336 27051 31135 32494 36538 37119 38806 38867	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept. Entergy Louisiana* Cabor Gorporation Bolse Cascade Koch Nitrogen Company Valero Retining New Orleans, LLC Louisiana Energy and Power Authority Couisiana Energy and Power Authority Shell Chemical LP Lyondell Chemical Company Lafayette Utilities System Entergy New Orleans Koch Pipeline Company, L.P. CITGO Petroleum Corporation DuPont Performance Elastomers Louisiana Generating LLC	2880-0019 2260-0010 1980-0009 2160-0004 2660-0002 2160-0017 2520-0016 1280-0044 2660-0069 2520-0079 0520-0189 1520-0002 2140-0014 2560-0006 0520-0035 2580-0041 2260-0005
Station Houma Generating Station Big Cajun 1 Power Plant. Springfield Boiler Sterlington Canal Plant DeRidder Paper Mill Sterlington Ammonia Plant St. Charles Refinery Plaquemine Steam Plant Morgan City Steam Plant Norco Chemical Plant - East Site Lake Charles Plant Louis "Doc" Bonin Electric Generation Station Michoud St. James Terminal Pecan Grove Tank Pontchartrain Chloroprene Unit Big Cajun 2 Power Plant Bogalusa Mill	8838 11917 19375 19483 19901 19933 23941 26003 26034 26326 26336 27051 31135 32494 36538 37119 38806 38867 38936	Terrebonne Parish Consolidated Government Louisiana Generating LLC City of Natchitoches Utility Dept. Entergy Louisiana Cabor Corporation Bolse Cascade Koch Nitrogen Company Valero Retining New Orleans, LLC Louisiana Energy and Power Authority Coulsiana Energy and Power Authority Shell Chemical LP Lyondell Chemical Company Latayette Utilities System Entergy New Orleans Koch Pipeline Company, L.P. CITGO Petroleum Corporation DuPont Performance Elastomers Louisiana Generating LLC Temple Inland	2880-0019 2260-0010 1980-0009 2160-0004 2660-0004 0320-0002 2160-0017 2520-0016 1280-0044 2660-0069 2520-0079 0520-0189 1520-0002 2140-0014 2560-0006 0520-0035 2580-0041 2260-0005 3060-0001

Herman Robinson, CPM Executive Counsel

Matthews South market on the

3435861-oct 13-1

OCT 23 2006

LDEQ/OSEC/LAD REGULATION DEVELOPMENT SECTION

AFFIDAVIT OF PUBLICATION

(A Correct Copy of Publication) POTPOURRI

Department of Environmental Quality Office of the Secretary Unice of the Secretary Legal Affairs Division

Identification of BART Eligible Sources (0610Pot3)

In a cover letter dated

In a cover letter dated

June 8, 2006, and electronically distributed, DEQ requested that all facilities that submit annual emissions reports to the Emission inventory complete a second Best Available Retrofit Technology (BART) survey. The purpose of the second survey was to update the BART-eligible list to reflect the impact of Hurricanes Katrina and Rita on facilities in Louislana. The BART-eligible list below is a requirement of Environmental Protection Agency (EPA) finalized amendments to the July 1999 Regional Haze Rule for Protection of Visibility in National Parks and Wilderness Areas. The final rule and other EPA documentation related to BART may be found to BART may be found a http://www.epa.gov/vi sibility/actions.html.

The BART requirements of the regional haze rule apply to facilities built between 1962 and 1977 that have the potential to emit facility-wide more than 250 tons per year (tpy) of one or more visibility-impairing polutants and timpact a mandatory class I Federal area. These stationary sources fall intrial area. Inese sta-tionary sources fall in-to 26 categories, in-cluding utility and in-dustrial boilers and large industrial plants such as pulp mills, re-fineries, and smelters.

If any of the informa-tion contained in the list is incorrect or if subject facilities have been omitted, a facility representative "should contact. James Orgeron at (225) 219-3578 or at orgeron at (225) 219-3578 or, at 123578 or, at 13mes. Orgeron (2A.g) ov, or Darlene Dosher-Collard at (225) 219-3580 at Darlene Dosher-Collard at (225) 219-3580 at Darlene Dosher-Collard (25) 219-3580 at Darlene Dosher-Collard (25) 219-3580 at Darlene Dosher-Mental Assessment, Air Quality; Assessment Division, Plan Development Section. All facilities on this list are considered to have a BART eligible source and to be subject to all the requirements of the BART rule. FACILITY NAME AI NUMBER COMPANY NAME EIS ID

Baton Rouge Chemical Plant 286 ExxonMobil - 0840-0014

Little Gypsy - 687 -Entergy Louisiana Entergy 2520-0009

Alexandria Plant - 872 -Procter & Gamble Manufacturing Compa-ny - 2360-0051

Clifton Ridge Terminal - 1006 - CITGO Petrole-um Corporation - 0520-

Pontchartrain Diamines Unit - 1101 -DuPont - 2580-0001

Geismar Plant - 1136 -Shell Chemical LP 0108-0010

Meraux Refinery - 1238 - Murphy Oil USA, Inc. - 2500-0001

Lake Charles Facility -1244 - Firestone Poly-mers LLC - 0520-0007

Lake Charles Manufac-turing - 1250 - CITGO Petroleum - 0520-0016

Complex Derivatives -1255 - PPG Industries, Inc. - 0520-0004

Cabot Ville Plant 1291 -Corporation -00012 Platte Cabot 0920-

Baton Rouge Facility -1314 - Rhodia, Inc. -0840-0033

Bastrop Louisiana Mill 1338 Interna-tional Paper Company - 1920-0001

Chalmette Refinery

1376 Chalmette Refin-ing, L.L.C. - 2500-0005

Gramercy Alumina -1388 - Gramercy Alu-mina - 2560-0002

Baton Rouge Plant 1395 - Lion Copolymer LLC - 0840-0008

Baton Rouge Smelter -1396 - Exide Technolo-1396 - Exide T gies - 0840-0004

Norco Refinery - 1406 -Motiva Enterprises LLC - 2520-0002

Louisiana Operations -1409 - The Dow Chemi-cal Company 1280-0008

Geismar Plant - 1433 -Chemtura USA Corpo-ration - 0180-0012

Cos-Mar Styrene Mon-omer Plant - 1607 - TO-TAL Petrochemicals USA, Inc. - 1280-0013

Oak Point Plant - 1708 -Chevron Oronite Com-pany LLC - 2240-0001

I, Bill Buschmann, Advertising Sales Manager of THE TOWN TALK, published at Alexandria,

Public Notice 0610Pot3

Louisiana do solemnly swear that the

advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof for one insertion commencing with the issue dated October 18, 2006 and ending with the issue dated October 18, 2006.

Subscribed and sworn to before me

this 23rd day of October, 2006

Notary Number

Geismar Site 2049 BASF Corporation 0180-0013

St. Francisville Mill 2073 - Tembec USA LUC 3160-0003

Taft/Star Manufacturing Complex 2083 Union Carbide Corp. 2520-0001

Pineville Mill - 2140 International Paper -2360-0001

Sulfuric Acid Plant 2340, Chemtrade Refinery Services Inc. 0500 0003

Port Allen Refinery 2366 - Placid Refinig Company, L.L.C. 3120-0010

B 1.

St. Gabriel Plant HCN Unit 2367 Syngenta Crop Protec-tion - 1280-0007

St. James Styrene Fai cility 2384 - Chevron Phillips Chemical Company, LP 2560 0007

Industries Donaldsonville 2416 CF Industries 0180

Alliance Refinery 2418 Conoco Phillips Co. 2240-0015 Faustina Plant. 24251-Mosaic Fertilizer LLG-2560-0005

2432 - Cleco Power LLC - 2660-0007

Ivanhoe Carbon Black Plant 2518 Degussa Engineered Carbons LP 2660:0018 Uncle Sam Plant 2532 Mosaic Fertilizer LLC 2560:0004

Port Hudson Opera-tions 2617 Georgia Pacific 0840 0010

Willow Gien 2625 Entergy Gulf States;

ExxonMobil Baton Rouge Refinery 2638 ExxonMobil Refining & Supply Co. - 0840-0015

Red River MIII. 2645 Weverhaeuser Company 1980-0004 Convent Refinery 2719 Motiva Enter-prises LLC 2560-0001 Ninemile Point 2841 Entergy Louisiana 1340-0006

Rodemacher Power Station 2922 Cleco Power LLC 2360:0010 Caryville Refinery 3165: Marathon Petroleum Company LLC-LA Refining Division 2580:0013

Lake Charles Chemical Plant 3271 Sasol North America Inc. 0520-0017

Facility Wide 3647 - Smurfit-Stone Container Enterprise, Inc

Plant Geismar Ammonia Group - 3732 - PCS Nitrogen - 0180Addis Plant - 4174 Sid Richardson Carbon Company - 3120-0006

North Bend 4998 Co-lumbian Chemicals Company 2660 0005

Lake Charles Plant -5337 - Equistar Chemi-cals - 0520-0002

Gelsmar Ethylene Plant 5565i Williams Olefins LLC: 0180-0030 Nelson 7893 Enterpy Gulf States 0520-0014.

Ruston Electrical Generation Station 81678. City of Ruston 1720-0007

Houman Generating Station 8838 ***
Terrebonne Consolidated Government 2880-0019

Blg Calun 1 Power Plant 11917 Louisia na Generating LLC

Springfield Boiler 19375 City of Natchi-toches Utility Dept 1

1980-0009 Sterlington 19483 Sterlington - 19483 Entergy Louislana 2160-0004

Canal Plant 19901 Cabot Corporation 2660,0004

DeRidder Paper Mill 19933: Boise Cascade 0320:0002: 52.5 Sterlington Ammonia Plant 23941 Koch Ni trogen Company 2160-0017

St. Charles Refinery.
26003: Valero
Refining:New Orleans
LUC 2520-0018

Plaquemine Steam
Plant 26034: Louisia.
na Energy and Plower
Authority 1280-0044

Morgan City Steam
Plant 26326 Louisia
na Energy and Power
Authority 2680-0069

Norco Chemical Plants
East Site 26336
Shell Chemical LP
2520 20079

Lake Charles Plant -27051 - Lyondell Chemi-cal Company - 0520-0189

Louis "Doc" Bonin Electric Generation Station 31,135 Lafay effe Utilities System 1520-0002

Michoud 32494 Entergy New Orleans -2140-0014

St. James, Terminal
36538 *Koch Pipeline
Company, LP 2560
0006
Pecan Grove Tank
37119 - CITGO Petrole
Umi-Corporation 0520

Pontchartrain Chloroprene Unit 3886 DuPont Per-formance Elastomers -2580-901 2 Power Plant 38867 Coulsia-na Generating ELEC 2260-9005 38 Caref

Bogalusa Mill 38936 Temple Inland 3060-0001 Burnside Plant 67572 El du Pont de Nemours & Co., Inc. 0180-0007 Waterford 83898 Entergy Louisiana

Entergy Louisiana 2520-0014

HERMAN ROBINSON, CPM Executive Counsels

(10) 18

Affidavit of Publication

RECEIVED

OCT -16 2006

LDEG/OSEC/LAD
REGULATION DEVELOPMENT SECTION

STATE OF LOUISIANA

Parish of Calcasieu

Before me the undersigned authority, personally came and appeared

who being duly sworn, deposes and says:

He/She is a duly authorized agent of

LAKE CHARLES AMERICAN PRESS

a newspaper published daily at 4900 Highway 90 East, Lake Charles, Louisiana, 70615. (Mail address: P.O. Box 2893 Lake Charles, LA 70602)

The attached Notice was published in said newspaper in its issue(s) dated:

00298122 - \$101.00

0610Pot3

October 12, 2006

00053262 LA. DEQ OSEC/LARD REGULATION DEVELOPMENT REMENDER WEATHERSPOON P.O. BOX 4302 BATON ROUGE, LA 70821-4302

Duly Authorized Agent

Subscribed and sworn to before me on this 12th day of October, 2006 at Lake Charles, LA

00053262

LA. DEQ OSEC/LARD

Notary Public

POTPOURRI

Department of Environmental Quality
Office of the Secretary
Legal Affairs Division
Identification of BART Eligible Sources
(0610Pot3)

In a cover letter, dated June 8, 2006, and electronically distributed, DEQ requested that all facilities that submit annual emissions reports to the Emission Inventory complete a second Best Available Retrofit Technology
(BART) survey. The purpose of the second survey was to update the BART-eligible list to reflect the impact of Hurricanes Katrina and Rita on facilities in Louisiana. The BART-eligible list below is a requirement of Environmental Protection Agency (EPA) finalized amendments to the July 1999 Regional Haze Rule for Protection of Visibility in National Parks and Wilderness Areas. The final rule and other EPA documentation related to BART may be found at http://www.epa.gov/visibility/actions.html.

The BART requirements of the regional haze rule apply to facilities built between 1962 and 1977 that have the potential to emit facility-wide more than 250 tons per year (tpy) of one or more visibility-impairing pollutants and impact a mandatory class I Federal area. These stationary sources fall into 26 categories, including utility and industrial boilers and large industrial plants such as pulp mills, refineries, and smelters.

If any of the information contained in the list is incorrect or if subject facilities have been omitted, a facility representative should contact James Orgeron at (225) 219-3580 or at Darlene. Dosher-Collard@LA.gov, of the Office of Environmental Assessment, Air Quality Assessment Division, Plan Development Section. All facilities on this list are considered to have a BART eligible source and to be subject to all the requirements of the BART rule.

FACILITY NAME

RINUMBER

COMPANY NAME

EIS ID

RANGER PATENDER PATEN

FACILITY NAME	Subject to all the red AI NUMBER		EISID
Baton Rouge Chemical Plant	284	EvvonMohii	0840-0014
Little Gypsy	687	Enteray Louisiana	2520-0009
Alexandria Plant	872	Procter & Gamble Manufacturing (Company
2360-0051	• •	· ·	1000
Clifton Ridge Terminal	1006	CITGO Petroleum Corporation	
	1101	DuPont	2580-0001
Geismar Plant Meraux Refinery	1136	Shell Chemical LP	0180-0010
Meraux Retinery	1238 : 1 / /	Murphy Oil USA, Inc.	2500-0001 0520-0007
Lake Charles Facility Lake Charles Manufacturing Complex	1244	Firestone Polymers LLC CITGO Petroleum	0520-0016
Derivatives	1255	PPG Industries, Inc.	0520-0016
Cabot Ville Platte Plant	1291	Cabot Corporation	0920-0001
Baton Pouge Eacility		Rhodia, Inc.	0840-0033
Bastrop - Louisiana Mill	1314 1338 1376	International Paper Company	1920-0001
Chalmette Petinery	1376	Chalmette Refining, L.L.C.	2500-0005
Gramercy Alumina	1300	Gramercy Alumina	2560-0002
	1395	Lion Copolymer LLC	0840-0008
	1396 1406	Exide Technologies	0840-0004 2520-0002
Norco Refinery Louisiana Operations	1409	Motiva Enterprises LLC The Dow Chemical Company Chemtura USA Corporation	1280-0008
Geismar Plant	1433	Chemtura USA Corporation	0180-0012
Cas-Mar Styrene Monomer Plant		TOTAL Petrochemicals USA, Inc.	
Oak Point Plant Geismar Site St. Francisville Mill	1708	Chevron Oronite Company LLC	2240-000)
Geismar Site	2049	BASE Corporation	0180-0013
St. Francisville Mill	2073	1 embec USA LLC	3160-0003
Taft/Star Manufacturing Complex	2083	Union Carbide Corp.	2520-0001
Pineville Mill	2140	International Paper	2360-0001
Sulfuric Acid Plant	2340	Chemtrade Refinery Services Inc. Placid Refining Company, L.L.C.	3120-0010
Port Allen Refinery St. Gabriel Plant - HCN Unit	2366 2367	Community Comm Duntaction	1200 0007
St. James Styrene Facility	2384	Chevron Phillips Chemical Compar	1200 000/ 1V. I.P.
2560-0007	2304	4)	.,, _, ; jv,]
	2416	CE Industries	0180-0004
Alliance Refinery	2418	ConocoPhillips Co.	2240-0015
Faustina Plant	2425	Mosaic Fertilizer LLC	2560-0005
Teche Power Station	2432	Cleco Power LLC	2660-0007
Ivanhoe Carbon Black Plant	2518	Degussa Engineered Carbons LP	2660-0018
Uncle Sam Plant	2532 2617	Coordin Basific	2560-0004 0840-0010
Port Hudson Operations Willow Glen	2625	Mosaic Fertilizer LLC Georgia Pacific Enterpy Gulf States	1280-0010
ExxonMobil Baton Rouge Refinery	2638	ExxonMobil Retining & Supply Co.	0840-0015 1
Red River Mill	2645	Weverhaeuser Company	1980-0004
Convent Refinery	2719	Weyerhaeuser Company Motiva Enterprises LLC Entergy Louisiana	2560-0001
Ninemile Point	2841	Entergy Louisiana	1340-0006
Rodemacher Power Station	2922		
Garyville Refinery	3165	Marathon Petroleum Company	A LTC, LA
Refining Division Lake Charles Chemical Plant	2580-0013	Count Name Amountage Inc	0520-0017
Lake Charles Chemical Plant	3271	Sasol North America Inc. Smurfit-Stone Container Enterpris	
Facility Wide	3647	Smorth-Stone Comainer Enterpris	e, mc134%-1
0001 Geismar Plant - Ammonia Group	3732	PCS Nitrogen	0180-0028
Addis Plant	4174	Sid Richardson Carbon Company	
North Bend	4998	Columbian Chemicals Company	2660-0005
Lake Charles Plant	5337	Equistar Chemicals	0520-0002
Geismar Ethylene Plant	5565	Williams Olefins LLC	0180-0030
Nelson	7893	Entergy Gulf States	0520-0014
Ruston Electrical Generation Station		City of Ruston	1720-0007
Houma Generating Station	8838	Terrebonne Parish Consolidated G	overnmenij
Big Caiun 1 Power Plant	2880-0019 11917	Louisiana Generating LLC	2260-0010
Springfield Boiler	19375 -		!
Springfield Boiler Sterlington	19483	Entergy Louisiana	2160-0004
Canal Plant	19901	Cabot Corporation	2660-0004
DeRidder Paper Mill	19933	Boise Cascade	0320-0002
Sterlington Ammonia Plant	23941	- City of Natchitoches Utility Dept. Entergy Louislana Cabol Corporation Boise Cascade Koch Nitrogen Company Valero Retining-New Orleans, LLC Louislana Energy and Power Auth	2160-0017
St. Charles Refinery		Valero Refining-New Orleans, LLC	2520-0016
Plaquemine Steam Plant	26034	Louisiana Energy and Power Auth	OF 119 128U-
0044	04304	Louisiana Energy and Power Auth	ority26xn
Morgan City Steam Plant 0069	26326	Louisiuliu Ellergy uliu Fower Autti	011192000∜
Norco Chemical Plant - East Site	26336	Shell Chemical LP	2520-0079
Lake Charles Plant	27051	Lyondell Chemical Company	0520-0189
Louis "Doc" Bonin Electric Generation S	tation	31135 Lafayette Utiliti	
1520-0002			11.7
Michoud	32494	Entergy New Orleans	2140-0014
St. James Terminal	36538	Koch Pipeline Company, L.P.	2560-0006
Pecan Grove Tank	37119 38806	CITGO Petroleum Corporation DuPont Performance Elastomers	0520-0035 2580-0041
Pontchartrain Chloroprene Unit Big Caiun 2 Power Plant	38867	Louisiana Generating LLC	2260-0005
	38936	Temple Inland	3060-0001
Burnside Plant	67572	E.1. du Pont de Nemours & Co., Inc	
Waterford	83898	Entergy Louisiana	2520-0014
	•	Herman Robi	
1		Executi	ve Counsel



RECEIVED

OCT 2 6 2006

LDEQ/OSEC/LAD REGULATION DEVELOPMENT SECTION

Publisher of

POTPOURRI

Department of Environmental Quality Office of the Secretary Legal Affairs Division

Identification of BART Eligible (0610Pot3)

In a cover letter dated June 8, 2006, and electronically distributed, IDEQ requested that all facilities that submit annual emissions reports to the Emission!Inventory. Complete a second Best Available. Retrofit Technology (BART)-survey. The purpose of the isecond; survey was to update the BART-eligible list to reflect the impact of Hurricanes Katrina and Rita on facilities in Louistana. The BART-eligible list below is a requirement of Environmental. Protection. Agency (EPA) finalized amendments to the July 1999 Regional Haze Rule for Protection of Visibility in National Parks and Wilderness Areas. The final rule and other EPA' documentations related to BART may be found at http://www.pa.gov/visibility/ BART may be found at http://www.epa.gov/visibility /actions.html

The BART requirements of the regional haze rule apply to facilities built between 1962 and 1977 that have the potential to emit facility-wide more than 250 tons per year (tpy) of one or more visibility-impairing pollutants and impact a mandatory class I Federally area. These stationary sources fall into 26 categories, including utility and industrial pollers and large industrial plants such as pulp mills, refinerles, and smelters.

ies, and smetters.

If any of the information contained in the list is incorrect or if subject facilities have been omitted, a facility representative should contact James Orgeron at (225) 219-3578 or al James Orgeron@LA.gov, or Darlene Dosher-Collard at (225) 219-3580 or Darlene Dosher-Collard@LA.gov, of the Office of Environmental Assessment, Air Quality Assessment Division, Plan Development Section. All facilities on this list are considered to have a BART eligible source and to be subject to all the requirements of the BART rule.

THE NEWS-STAR MONROE, LOUISIANA **PROOF OF PUBLICATION**

The hereto attached advertisement Was published in the NEWS-STAR.

A daily newspaper of general circulation.

Published in Monroe, Louisiana.

Parish of Ouachita in the issues of:

LEGAL AD DEPT.

Sworn and subscribed before me by

The person whose signature appears above in Monroe, LA on this

Steven L. Turner # 43154

NOTARY PUBLIC

FACILITY NAME - AI NUMBER - COMPANY NAME - EIS ID

Baton Rouge Chemical Flant - 286 - ExxonMobil - 0840-0014 7

Little (Gypsy - 687 - Entergy Louisiana - 2520-0009) Alexandria Plant - 872 - Procter & Gamble Manufacturing Com-pany - 2360-0051 Clifton Ridge Terminal - 1006 -CITGO Petroleum Corporation -0520-0038 Pontchartrain Diamines Unit -1101 - DuPont - 2580-0001 Geismar Plant - 1136 - Shell Chemical LP -0180-0010 MerauxiRefinery 1238Murphy Oil USA, Inc. 2500-0001
Lake Charles Facility - 1244
Firestone Polymers LLC - 0520-0007
Lake Charles Facility - 1244
Consider The Consider Consider 1250 - Complex - 1250 - CITGO Petro-leum - 0520-0016 Derivatives - 1255 - PPG Industries, Inc. - 0520-0004 Cabot Ville Platte Plant 1291 Cabot Corporation - 0920-0001 Baton Rouge Facility - 1314 Rhodia, inc. - 0840-0033 Bastro - Louisiana Mill - 1338 - International Paper Company - 1920-0001 Chalmette Refinery - 1376 - Chalmette Refining, L.L.C. - 2500-0005 Gramercy Alumina - 1388 - Gramercy Alumina - 2560-0002 Baton Rouge Plant - 1395 - Lion Copolymer LLC - 0840-0008 Baton Rouge Smelter 11396 -Exide Technologies 0840-0004 Norco Refinery 1406: Motiva Enterprises LLC - 2520-0002 Louisiana Operations - 1409 -The Dow Chemical Company 1280-0008 Geismar Plant - 1433 - Chemtura USA Corporation - 0180-0012 Cos-Mar Styrene Monomer Plant - 1607 - TOTAL Petrochemicals USA,linc. - 1280-0013 Oak Point Plant 1708 - Chevron LLC -Oronite Company 2240-0001 Geismar Site - 2049 - BASF Corporation - 0180-0013
St. Francisville Mill: 2073 - Tembec USA LUC - 3160-0003
Tatf/Star - Manufacturing - Complex | 2083 - Union Carbide Corp. - 2520-0001 Port Allen Refinery : 2366 - Plac-id Refining Company, LLLC. -3120-0010 St. Gabriel Plant - HCN Unit -2367 - Syngenta Grop Protection - 1280-0007 St. James Styrene Facility - 2384 - Chevron Phillips Chemical Company, UP - 2560-0007 CF Industries Donaldsonville -2416 - CF Industries - 0180-0004 Alliance Refinery - 2418 ConocoPhillips Co. - 2240-0015

Faustina Plant - 2425 - Mosaic Fertilize; LLC - 2560-0005 Teche Power Station - 2432 -Cleco Power LLC - 2660-0007

Ivanhoe Carbon Black Plant - 2518 - Degussa Engineered Carbons P. 2660-0018
Uncle Sam Plant - 2532 - Mosaic Fertilizer LLC - 2550-0004

Port Hudson Operations - 2617-Georgia Pacific - 0840-0010 Willow Glen - 2625: Entergy Gulf States - 1280-0010 ExxonMobil Baton Rouge Refin-ery - 2638 - ExxonMobil Refining & Supply Co. - 0840-0015 Red River Mill - 2645 Weyerhaeuser Company 1980-0004 Convent Refinery : 27.19 Motiva Enterprises LLC 2560-0001 23-13 Minemile Point: 2841 Entergy Louisiana -1340-0006 Rodemacher Power Station -2922 - Cleco Power LLC -2360-0010 Garyville Refinery - 3165 - Marathon Petroleum Company LLC-LA Refining Division - 2580-0013 Lake Charles Chemical Plant - 3271 - Sasol North America Inc- 0520-00117

Facility: Wide - 3647 - 36 North Bend 4998 Columbian Chemicals Company 2660-0005 Lake Charles Plant 5337 -Equistar Chemicals 0520-0002 Geismar Ethylene Plant 5565 Williams Olerins Lisc 10180-0030 Nelson - 7893 - Entergy Gulf States - 0520-0014 States - 0520-0014

Ruston Electrical Generation Station 8167 City of Ruston 1/720-0007

Houma Generating Station 838 Terrebonne Parish Consolidated 2880-0019

Big Cajun 1/Power Plant: 11917 Louisiana Generating LLC - 2260-0010

Springfield Boller 19375 - City of Natchitoches Utility Dept. 1980-0009

Sterlington 19483 Entergy Sterlington . . . 19483 - Entergy Louisiana - 2160-0004 Canal Plant 19901 - Cabot Corporation 2660-0004 DeRidder Paper Mill 19933 -Boise Cascade - 0320-0002 Sterlington Ammonia Plant -23941 - Koch Nitrogen Company -2160-0017 St. Charles Refinery - 26003 -Valero Refining-New Orleans, LLC - 2520-0016

Plaquemine Steam Plant - 26034 Louisiana Energy and Power Authority - 1280-0044 Authority - 1280-0044
Morgan City Steam Plant - 26326
Louisiana Energy and Power
Authority - 2660-009
Norco Chemical Plant - East Site
- 26336-- Shell Chemical LP - 2520-0079 Lake Charles Plant - 27051 - Lyondell Chemical Company - 0520-0189 Louis "Doc" Bonin Electric Generation Station - 31135 - Lafavette Utilities System yette Utili 1520-0002 Michoud 32494 - Entergy New Orleans 2140-0014 St. James Terminal - 36538 - Koch Pipeline Company, L.P. - 2560-0006 Pecan Grove Tank - 37119 - CFG 025 0520-0035 O520-0035

Pontchartrain Chloroprene Unit - 38806 *** DuPont Performance Elastomers: 2580-0041 ***

Big Cajun 2 Power Plant - 38867 *** Louisiana Generating LLC 2260-0005 Bogalus Mill - 38936 - Temple Inland:- 3060-0001 Burnside Plant:- 67572 - Eil du Pont de Nemours & Co.; Inc. Pont de Nemours à Co-mille 180-0007.
Waterford = 288888 - Entergy Louisiana = 2520-0014
Herman Robinson, CPM Executive Counsel Monroe, LA October 19, 2006

The Times

RECEIVED

OCT 1 7 2006

L'DEQ/OSEC/LAD
REGULATION DEVELOPMENT SECTION

PROOF OF PUBLICATION

POTPOURRI Department of Environmental Quality Office of the Secretary Legal Affairs Division

Identification of BART Eligible Sources (0610Pot3)

In a cover letter dated June 8, 2006, and electronically distributed, DEQ requested that all facilities that submit annual emissions reports to the Emission Inventory compléte a second Best Available Retrofit Technology (BART) survey. The purpose of the second survey was to update the BART-eligible list to reflect the impact of Hurricanes Katrina

and Rita on facilities in Louisiana. The BART-eligible list below is a requirement of Environmental Protection Agency (EPA) finalized amendments to the July 1999 Regional Haze Rule for Protection of Visibility in National Parks and Wildemess Areas. The final rule and other EPA documentation related to BART may be found at http://www.epa.gov/visibility/actions.html.

The BART requirements of the regional haze rule apply to facilities built between 1962 and 1977 that have the potential to emit. Rability-wide more than 250 tons per year (tpy) of one or more visibility-impaining pollutants and impact a mandatory/class I Federal area. These stationary sources fall into 26 categories, including utility and industrial boilers and large industrial plants such as pulp mills, refineries, and smetters.

If any/of the information contained in the list is incorrect or if subject facilities have been omitted, a facility representative should contact James Orgeron at (225):219-3578 or at James Orgeron @ LA. gov or Darlene Dosher-Collard at (225):219-3580 or at Darlene. Dosher-Collard @ LA. gov, of the Office of Environmental Assessment, Air Quality Assessment Division, Plan Development Section. All facilities on this list are considered to have a BART eligible source and, to be subject to all the requirements of the BART rule.

STATE OF LOUISIANA

PARISH OF CADDO

Before me, the undersigned authority, personally came and appeared

Altheas Critton

personally known to me,

Who being duly sworn, deposes and says that she is the Assistant to the Classified Advertising Manager of The Times, and that the attached Advertisement entitled:

POTPOURRI (0610Pot3)

As per copy of advertisement hereto annexed, was published in The Times on the following dates to wit:

October 12, 2006

(Signed) altheas Cutton

Sworn to and subscribed before me this 12th day of October, 2006

DIANA W. BARBER, NOTARY PUBLIC # 60491 CADDO PARISH, LOUISIANA MY COMMISSION IS FOR LIFE

(Notary)



FACILIT	Y NA	ME		0
Baton Ro		200	nical	
				D iction
Little Gyr Alexandr Cilfton Ri	ia Pi	ant Term	inal	
Pontchar Unit	train	Dian	nnes	
Geismar	Plan	ŧ		
Meraux F Lake Cha Lake Cha	ierin irles	ery Facil	ity	
turing Co Derivative	ırles mple	Manı x	ufac-	
				- Branch
Baton Ro Bastrop Chalmette Gramersy	uge Loui	Facili	ty **** • NAUE	22 20a
Chalmette	Re	linery) i	ir) Jir j
Gramerey Baton Ro Baton Ro	time?	الم ما ا	170.0	a P
Norco Be Louisiana	tiner	у		
aeismara	ะเลกเ	0.00	ns J	
Cos Mar mer Plant	sec.		ono.	
Gaismar 9	Plai		****	
St. Franci	sville Vlani	Mill.	dno	作
Complex Pineville A			iiiig.	
Sulfuric.Ad	id.P	lant		4
Port Allen St. Gabrie	Heii I Pla	nery nt - H	IGN	, 13-4.
Unit. St. James ty	Styr	ene F	acili	dinas
Contraction (St.	10C	7.54 · · · · ·		
Donaldsor Alliance Re	wille	A .	. 1	
Faustina P	lant	•		- 246
Ivanhoe C	arboi	n Blad	ck	
Plant Sam Uncle Sam Port Hudso	Pla	nt *	ana	
Willow Gle Baton roug	n Ex	xonM	lobil	36
Red River	Mill.	mer	y (*****	
Red River Convent R Ninemile P Rodemach	erine oint	ry.		
tion Garyville R	er Po	ower.	Sta-	
Garyville R Lake Charl	efine es/C	ry 📑 hemi	cal	VA.
Plant Sicher Chan Plant Sicher Plant Geismar Pl nia Groun	le -			die.
Geismar Pl	ant -	Amn	no-"	
nia Group Addis Plant North Bend Lake Charl				
Lake Charl	es P	ant		
Geismar Et Nelson	1.5	E		X (6)
Ruston Election Station	rinca ni	li Ger	ner-	
tion Big Cal	າerat un t	Ing S Pow	ta: er.	
ation Statio Houma Ger tion Big Cal Platn Springfield Sterlington	Biole			
Sterlington Canal Plant DeRidder P sterlington /				
DeRidder P sterlington /	aper 4mm	Mill' onia		
Plant St. Charles Plaquemine Morgan Cib	Aefir	ierv		à.
Plaquemine Morgan City	Ste	ım P	lant.	To the
Norco Chen East Site	nical	Plani		. 5
Lake Charle Louis "Doc" tric General Michaud	s Pie	int o Cla		,
tric Generati	on S	tation	1	ga, A
Danas Os	ermi	nai	208	i de
Pontchartrai	e iai	理 注記:	7	
Pontchartrai Chloroprene Big Cajún 2 Bogalusa Mi Burnida Bia	Unit Pow	er/Pla	int	1
Danialde Lie	int.		W	
Waterford .	*		434	j.

公司

- AND PROPERTY.

ALNUK	IRED.	Property and the second
286 🚨		
687 872		
1006 1101		
1136 1238		
1244 1250		1
1255 1291	199,499	
1314 1338 1376		Toppe The second second second DC Second second second
1388 1395		
1396 1406		An A
1409/% 1433	a in tr	
1607 1708		Tay :
2049 2073		4 2 192,81
2083 2140		48
2340 2366 2367		e la
2384 ÷		
2418 ** 2425		
2432' - 2617.		
2625 2638		
2645 2719		
2841 2922		
3165 3271	EN MARK	N. W.
3647 3732 4174	,	v.
4998: 1 5337	48	
5565 × 7893 ×	. 0 -	ik W
# 8167" N 8838		***
11917 19375	7.4	
19483	enchie vere	Na Projection
19901 19933		
23941 26003	140 6 60	£ 6.6% *
26003 26034 26326 26336		
27051) 1 31135	1124	en de la companya de
32494 36538		
37119 38806		
38867 38936		i i
67572 83898		
COMPA	NY NAME	
ExxonM	obil	Ė
Procter (Louisiana Gamble Company	Manu-
CITGO f	Company etroleum	Cor-
DuPont		
Fireston	e Polymers	ic. s LLC
PPG Ind	Petroleum ustries, Inc	
Rhodia,	orporation Inc. onal Papei	
HOHIGH	ו איניים וואיניים	1.1.14


International Paper Company Chalmette Refining

```
Gramercy Alumina
Lion Copolymer LLC
Exide Technologies
Motiva Enterprises LLC
The Dow Chemical
Company
Chemtura USA Corpora-
        TOTAL Petrochemicals
USA Inc
Chevron Oronite Com-
 pany LLC
BASF Corporation
Tembers USA LLC
Union Carbide Corp.
          International Paper
Chemirade Refinery
Services Inc.
Placid Refining Compa-
  ny, L.C.
Syngenta Crop Protection.
Chevron Phillips Chemical
cal Company, LP
CF Industries
CF Industries
ConocoPhillips Chemical
Company, LP
CF Industries
ConocoPhillips Co
Mosaic Fertilizer LLC
Cleco Power, LLC
Degussa Engineered
Carbons LP
Mosaic Fertilizer LLC
Georgia Pacific
Entergy Gulf States
ExxonMobile Refining &
Supply Co
        ExxonMobile-Refining &
Supply Co.
Weyerhaeuser Company,
Motiva Enterprises LLC,
Entergy Louisiana
Cleoo Power LLC
Marathon Petroleum
Company LLC:LA
Revining Division
SanurflitStone Container
         Smuritt Stone Container
Enterprise Inc.
PCS Nitrogen
           Sid Richardson Carbon
          Company (Columbian Chemicals)
   Coumpain Chemicals
Company
Equistar Chemicals
Williams Oletins LLC
Entergy Gulf States
Cityjof Ruston
Terrebonne Parish Consolidated Government
Louisiana Canagang
           Louisiana Generating
       Louisiana Generating
LLC:
City of Natchitoches Utility
Ty Dept:
Entergy Louisiana
Cabot Corporation
Boise Cascade
Koch-Nitrogen Company
     Koch Nitrogen Company
Valero Refining New Or-
leans KKC
Louisiana Energy and
Power Authority
Louisiana Energy and
Power Authority
Shell Chemical LP
Lyondell Chemical Company
       pany Latayette Utilities Sys
      Entergy New Orleans Koche Pipeline Company, L.P.
CITGO Petroleum
        Corporation
DuPont Performance
        Elastomers
Louistana Generating
LUC
Temple Inland
E. L. du Pont de Nemours
& Co.; Inc.
Entergy Louisiana
```

```
EIS ID
 2520-0009
2360-0051
2580-0001
0180-0010
2500-0001
  0520-0007.
0520-0016
0520-0016
0520-0004
0920-0001
0840-0033
1920-0001
2500-0005
2560-0002
                           TRACT
                           age of the same
                             Janes A.
  0840-0008
 0840-0004
2520-0002
1280-0002
1280-0008
0180-0012
1280-0013
2240-0001
 0180-0013
3160-0003
 2520-0001
2360-0001
0500-0003
3120-0010
1280-0007
2560-0007
  0180-0004
2240-0015
2560-0005
  2660-0007
2660-0018
2560-0004
2560-0004
-840-0010
1280-0010
0840-0015
-1980-0004
-2560-0001
  1340-0006
  2360-0010
2580-0013
0520-0017
  1300-0001
0180-0028
3120-0006
  2660-0005
0520-0002
0180-0030
0520-0014
  1720-0007
2880-0019
  2260-0010
  1980-0009
2160-0004
   2660-0004
   0320-0002
   2160-0017
   1280-0044
  2660-0069
2520-0079
   0520-0189
1520-0002
  2140-0014
2560-0006
0520-0035
2260-0005
3060-0007
0180-0007
 2520-0014
 Herman Robinson; CPM CExecutive Counsel
```

The Times: October 12, 2006

and the same of the same of the same of



RECEIVED

- - OCT /1 8 2006

LDEO/OSEC/LAD
REGULATION DEVELOPMENT SECTION

Acadiana's Daily Newspaper

THE ADVERTISER

1100 Bertrand Drive LAFAYETTE, LA 70506

PHONE: (337) 289-6300 FAX: (337) 289-6466

AFFIDAVIT OF PUBLICATION

Remender D. Weatherspoon
LA Department of Environmental Quality
OSEC/Legal Affairs Division/
Regulation Development Section
P. O. Box 4302
Baton Rouge, LA 70821-4302

Account No.: 8DEQRI Ad Number: 673636 Ad Total: \$219.25

No. of Lines: 5 columns x 8.75" Reference No.: Visa Purchase

**To insure proper credit please refer to your account number and/or ad number when making payment. Remittance address: P.O. Box 3268, Lafayette, LA 70502-3268

I, ROSE PENFOLD, do solemnly swear that I am the LEGAL CLERK of THE ADVERTISER, a newspaper printed and published at Lafayette, in the Parish of Lafayette, State of Louisiana, and that from my personal knowledge and reference to the files of said publication, the advertisement of

POTPOURRI

Department of Environmental Quality
Office of the Secretary
Legal Affairs Division
Identification of BART Eligible Sources
(0610Pot3)

was published in THE ADVERTISER on the following dates:

*Friday, October 13, 2006

ROSE PENFOLD

LEGAL CLERK

Sworn to and subscribed before me this

_ day of October, a

NOTARY PUBLIC - ID#58555

673636 14

POTPOURRI

Department of Environmental Quality Office of the Secretary Legal Affairs Division

Identification of BART Eligible Sources (0610Pot3)

In a cover letter dated June 8, 2006, and electronically distributed, DEQ requested that all facilities that submit annual emissions, reports to the Emission-Inventory complete a second Best Available Retrofit Technology (BART) survey. The purpose of the second survey was to update the BART-eligible list to reflect the impact of Hurricanes Katrina and Rita on facilities in Louislana. The BART religible list below is a requirement of Environmental Protection Agency (EPA) finalized amendments to the July 1999 Regional Haze Rule for Protection of Visibility in National Parks and Wilderness Areas. The final rule and other EPA documentation, related to BART may be found at http://www.epa.gov/visibility/actions.html.

The BART requirements of the regional haze rule apply to facilities built between 1962 and 1977 that have the potential to emit facility-wide more than 250 tons per year (tpy) of one or more visibility-impairing pollutants and impact a mandatory class I. Federal area. These stationary sources fall into 25 categories, including utility and industrial bollers and large industrial plants such as pulp mills, refineries, and smelters.

If any of, the information, contained in the Jist Jasuncorrect, or if subject facilities have been omitted, a facility representative should contact James Orgeron at (225) 219:3578 or at James Orgeron@LA.gov, or Darlene Dosher-Collard@LA.gov, of The Office of Environmental Assessment, Air Quality Assessment Division, Plan Development Section: All facilities on this list are considered to have a BART eligible source and to be subject to all the requirements of the BART rule.

EIS ID

Dear	to	all the requirements of the BART rule.	7.77	k	CARRY 1
Cilifo Ridge Terminal 1006 CITGO Petroleum Corporation 0.520-0035 2580-0001 25		FACILITY NAME A BOUM	BER		COMPANY NAME EIS ID
Cilifo Ridge Terminal 1006 CITGO Petroleum Corporation 0.520-0035 2580-0001 25		Baton Rouge Chemical Plant	286		
Cilifo Ridge Terminal 1006 CITGO Petroleum Corporation 0.520-0035 2580-0001 25		Little Gypsy	687		Entergy Louisiana 2520-0009
Meraux Refinery		Alexandria Plant			Procter & Gamble Manufacturing Company 2360-0051
Meraux Refinery		Cliffon Ridge Terminal			Cirgo Petroleum Corporation 0320-0036
Meraux Refinery		Pontchartrain Diamines Unit			2300-0001
Cabot Wille Platte Plant 1291	**,*	Geismar Plant	1136		Shell Chemical LP 0180-0010
Cabot Wille Platte Plant 1291		Meraux Refinery	1238	1	Murphy Oil USA, Inc. 2500-0001
Cabot Wille Platte Plant 1291	٠.	Lake Charles Facility	1244		CITCO Detroloum
Cabot Wille Platte Plant 1291		Dorling Complex	1250		PDG industries inc
Chaimette Refinery 1376 Chaimette Refining LL C. 2500-0002 Chaimette Refining Company, L. L. C. 3120-0010 Chaimette Refining Company L. C. Canada Chaimette Refining Company L. C. Canada Cha		Cahot Ville Diatte Plant	1201		Cahot Corporation 0920-0001
Chaimette Refinery 1376 Chaimette Refining LL C. 2500-0002 Chaimette Refining Company, L. L. C. 3120-0010 Chaimette Refining Company L. C. Canada Chaimette Refining Company L. C. Canada Cha	4	Raton Rouge Facility		y 4	Rhodia Inc 9840-0033
Gramercy Alumina 1388	ré	Bastron Louisiana Mill			
Pineville Mill Sulfuric Acid Plant		Chalmette Refinery	1376	7	Chalmette Refining, L.L.C. 2500-0005
Pineville Mill Sulfuric Acid Plant	1	Gramercy Alumina	1388	3. A	Gramercy Alumina 1- 2560-0002
Pineville Mill Sulfuric Acid Plant		Baton Rouge Plant	1395		Lion Copolymer LLC 0840-0008
Pineville Mill Sulfuric Acid Plant	1	Baton Rouge Smelter	1396		Exide Technologies 0840-0004
Pineville Mill Sulfuric Acid Plant	15	Norco Refinery	1406		Monda Enterprises LLC
Pineville Mill Sulfuric Acid Plant	3	Louisiana Operations	1409		The Dow Chemical Company 1280-0008
Pineville Mill Sulfuric Acid Plant	2	Geismar Plant	1433		Chemitura USA Corporation 0180-0012
Pineville Mill Sulfuric Acid Plant		Cos-Mar Styrene Monomer Plant	160/		TOTAL Petrochemicals USA, Inc. 1280-0013
Pineville Mill Sulfuric Acid Plant		Oak Point Plant	1708		Chevron Oronne Company LLC 2240-0001
Pineville Mill Sulfuric Acid Plant		GeismarkSite FW 7	2049		Tempor LICA L.L.C. 2340 0000
Pineville Mill Sulfuric Acid Plant	ول دور	Taft/Star Manufacturing Compley	20/3		Union Carbide Corn
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2	• 14	Pineville Mill	21/0	_	International Paper 2320-0001
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2	: 4	Silfuric Acid Plant	2340	. **	Chemtrade Refinery Services Inc. 0500-0003
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2		Port Allen Refinery	2366	,	Placid Refining Company, L. L. C. 3120-0010
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2		St. Gabriel Plant - HCN Unit	2367		Syngenta Crop Protection 1280-0007
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2	-17	St. James Styrene Facility	2384		Chevron Phillips Chemical Company, LP 2560-0007
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2	M	CF Industries Donaldsonville	2416	ż	CF Industries 0180:0004
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2		Alliance Refinery	2418	· *,	Conoco Phillips Co. 2240-0015
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2		Faustina Plant		- ·.	Mosaic Fertilizer LLC 2560-0005
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2		Teche Power Station	2432	1.60	Cleco Power LLC
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2	3.3	Ivanhoe Carbon Black Plant	2518		Degussa Engineered Carbons LP
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2	17	Uncle Sam Plant	2532		Mosaic Fertilizer LLC 2560-0004
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2	5	Port Hudson Operations	2017		Georgia Pacific 0840-0010
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2	٠,	Willow Glen			Entergy Guit States 1200,0010
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2		Exxon/Nobil Baion Rouge Refinery			Moverhaniaar Company Co. 0040-0015
Ninemile Point 2841 Entergy Louisiana 3340-0006k 2620- Power LLC 2340-0010 2580-0013 2		Convert Pelinary	2710		Motive Enterprises LLC
Caryville Refinery 3165		Ninemile Point	2841		Entergy Louisiana
Caryville Refinery 3165			2922		Cleco Power LLC 2360-0010
Calcility Wide 3647 Sasol North America Inc. 300-0017		Garvville Refinery	3165		Marathon Petroleum Company LLC-LA 2580-0013
Lake Charles Chemical Plant 3271 Sasol North America Inc. 0520-0017 Facility Wide 344 Survift-Stone Container Enterprise, Inc 3300-0001 Gelsman Plant 477 Sid Richardson Carbon Company 3120-0008 North Bend 498 Columbian Chemicals Company 2660-0005 Lake Charles Plant 5337 Equistar Chemicals 0520-0002 Geismar Ethylene Plant 5555 Williams Olefins LLC 0180-0030 Nelson 7893 Entergy Gulf States 0520-0001 Nelson Electrical Generation Station 8167 City of Ruston 1720-0007 Houma Generating Station 8838 Entergy Gulf States 0520-0014 Springfield Boiler 19375 Entergy Gulf States 2260-0019 Sterlington 19483 Entergy Louislana 2160-0004 Canal Plant 19901 Cabol Corporation 2660-0004 DeRidder Paper Mill 19933 Boise Cascade 0320-0002 Sterlington Ammonia Plant 23941 Koch Nitrogen Company 2160-0004 Yelaquemine Stea		4			Retining Division
Addis Plant 4174 Std Richardson Carpon Company 3120-0008 North Bend 498 Columbian Chemicals Company 2660-0005 Lake Charles Plant 5337 Equistar Chemicals 0520-0002 Nelson 7893 Equistar Chemicals 0520-0014 Ruston Ejectrical Generation Station 8167 Entergy Gulf States 0520-0014 Houma Generating Station 8838 Errebonne Parish Consolidated Government 2880-0019 Big Cajuri 1 Power Plant 11917 Louisiana Generating LLC 2260-0010 Sterlington 19483 Entergy Louisiana 2160-0004 Canal Plant 19931 Entergy Louisiana 2160-0004 DeRidder Paper Mill 19933 Boise Cascade 320-0002 Sterlington Ammonia Plant 23941 Koch Nitrogen Company 2160-0004 St. Charles Retiniery 26003 Valero Refining New Orleans, LLC 2520-0017 Yill Agram Plant 26326 Louisiana Energy and Power Authority 1280-0044 Morgan City Steam Plant 26336 Shell Chemical Company 2520-0079		Lake Charles Chemical Plant	3271		Casal North America inc
Addis Plant 4174 Std Richardson Carpon Company 3120-0008 North Bend 498 Columbian Chemicals Company 2660-0005 Lake Charles Plant 5337 Equistar Chemicals 0520-0002 Nelson 7893 Equistar Chemicals 0520-0014 Ruston Ejectrical Generation Station 8167 Entergy Gulf States 0520-0014 Houma Generating Station 8838 Errebonne Parish Consolidated Government 2880-0019 Big Cajuri 1 Power Plant 11917 Louisiana Generating LLC 2260-0010 Sterlington 19483 Entergy Louisiana 2160-0004 Canal Plant 19931 Entergy Louisiana 2160-0004 DeRidder Paper Mill 19933 Boise Cascade 320-0002 Sterlington Ammonia Plant 23941 Koch Nitrogen Company 2160-0004 St. Charles Retiniery 26003 Valero Refining New Orleans, LLC 2520-0017 Yill Agram Plant 26326 Louisiana Energy and Power Authority 1280-0044 Morgan City Steam Plant 26336 Shell Chemical Company 2520-0079		Facility Wide	3647		Smurfit-Stone Container Enterprise, Inc
Addis Plant 4174 Std Richardson Carpon Company 3120-0008 North Bend 498 Columbian Chemicals Company 2660-0005 Lake Charles Plant 5337 Equistar Chemicals 0520-0002 Nelson 7893 Equistar Chemicals 0520-0014 Ruston Ejectrical Generation Station 8167 Entergy Gulf States 0520-0014 Houma Generating Station 8838 Errebonne Parish Consolidated Government 2880-0019 Big Cajuri 1 Power Plant 11917 Louisiana Generating LLC 2260-0010 Sterlington 19483 Entergy Louisiana 2160-0004 Canal Plant 19931 Entergy Louisiana 2160-0004 DeRidder Paper Mill 19933 Boise Cascade 320-0002 Sterlington Ammonia Plant 23941 Koch Nitrogen Company 2160-0004 St. Charles Retiniery 26003 Valero Refining New Orleans, LLC 2520-0017 Yill Agram Plant 26326 Louisiana Energy and Power Authority 1280-0044 Morgan City Steam Plant 26336 Shell Chemical Company 2520-0079		Geismar Plant - Ammonia Group 💌 🐇 🥌	3732	aty . Wi	PCS Nitrogen
Neison Ruston Electrical Generation Station St	v	Addis Plant	4174	,	Sid Richardson Carbon Company 3120-0006
Neison Ruston Electrical Generation Station St		North Bend	4998	1	Columbian Chemicals Company 2660-0005
Neison Ruston Electrical Generation Station St		Lake Charles Plant	5337	45.4	Equistar Chemicals 0520-0002
Terrebonne Parish Consolidated Government 1720-0007 1720-000		Geismar Ethylene Plant	2005	40.00	Williams Cleffins LLC 0180:0030
Big Cajur 1 Power Plant 1917 Louislaina Generating LLC 2260-0019 1980-0009 1980-0009 1980-0009 1980-0009 1980-0009 1980-0009 1980-0009 1980-0009 1980-0009 1980-0009 1980-0009 1980-0009 1980-0009 1980-0004 1980-0009 1980-0009 1980-0004 1980-0009 198		Nelson	0147		City of Ducton 1720-0007
Big Caj Tower Plant 1917 Louisiana Generating LLC 2200-0010			8848	٠.	Terrehonne Parish Consolidated Government 2880-0019
1993 1994 1995		Rid Callin 1 Power Plant	11917	ě	Louisiana Generating LLC 2260-0010
1993 1994 1995		Springfield Boiler	19375		
1993 1994 1995		Sterlington 3	19483		Entergy Louisiana 2160-0004
1993 1994 1995		Canal Plant	19901	-	Cabot Corporation 2660-0004
Valero Refining-New Orleans, LLC 2320-0016		DeRidder Paper Mill	19933	.*	Boise Cascade 0320-0002
Valero Refining-New Orleans, LLC 2320-0016		Sterlington Ammonia Plant		•	Koch Nitrogen Company 2160-0017
Pecan Grove Tank 3719 CITGO Petroleum Corporation 0520-0035 Pontchartrain Chloroprene Unit 38806 Du Pont Performance Elastomers 2580-0041	44.	St. Charles Refinery	26003		
Pecan Grove Tank 3719 CITGO Petroleum Corporation 0520-0035 Pontchartrain Chloroprene Unit 38806 Du Pont Performance Elastomers 2580-0041	7	Plaquemine Steam Plant	26034		Louisiana Energy and Power Authority 1280-0044
Pecan Grove Tank 3719 CITGO Petroleum Corporation 0520-0035 Pontchartrain Chloroprene Unit 38806 Du Pont Performance Elastomers 2580-0041		Morgan City Steam Plant	26326	-	Louisiana Energy and Power Authority 2660-0069
Pecan Grove Tank 3719 CITGO Petroleum Corporation 0520-0035 Pontchartrain Chloroprene Unit 38806 Du Pont Performance Elastomers 2580-0041		Norco Chemical Plant - East Site	20330		Shell Chemical LP
Pecan Grove Tank 3719 CITGO Petroleum Corporation 0520-0035 Pontchartrain Chloroprene Unit 38806 Du Pont Performance Elastomers 2580-0041		Lake Charles Plant	2/UD 21125		Lydrideli Chemical Company 0320-0109
Pecan Grove Tank 3719 CITGO Petroleum Corporation 0520-0035 Pontchartrain Chloroprene Unit 38806 Du Pont Performance Elastomers 2580-0041		Generation Station	01100		Larayene Onlines System
Pecan Grove Tank 3719 CITGO Petroleum Corporation 0520-0035 Pontchartrain Chloroprene Unit 38806 Du Pont Performance Elastomers 2580-0041		Michoud	32494		Entergy New Orleans 2140-0014
Pontchartrain Chloroprene Unit 38806 DuPont Performance Elastomers 2580-0041		St. James Terminal			Koch Pipeline Company, L.P. 2560-0006
Pontchartrain Chloroprene Unit 38806 DuPont Performance Elastomers 2580-0041			37110	-	CITGO Petroleum Corporation 0520-0035
		Pontchartrain Chloroprope Unit	38806		DuPont Performance Elastomers 2580-0041
38936 Temple Inland 3060-0001	,				
## 80 Burnside Plant 67572 E.I. du Pont de Nemours & Co., Inc. 0180-0007	Ť.,	Bogalusa Mill	38936		Temple Inland 3060-0001
Waterford 83898 Entergy Louisiana 2520-0014 Herman Robinson, CPM Executive Counsel		Burnside Plant	67572	-	E.I. du Pont de Nemours & Co., Inc. 0180-0007
Herman Robinson, CPM Executive Counsel		Waterford	83898		Entergy Louisiana 2520-0014
Executive Counsel			He	rma	in Robinson, CP/M
	زيان	CARREL TO SERVICE STATE OF THE SERVICE STATE OF THE SERVICE STATE STATE OF THE SERVICE STATE STATE OF THE SERVICE STATE		⊏ X E	Culive Coulisei

ĵ

ASSOCIATED REPORTERS, INC. DENISE M. NAQUIN, CCR Certified Court Reporter (504) 529-3355

Certified Court Reporter

25

RECEIVED MAR 0 5 2008

SANDRA STEPHENS:

Good afternoon. My name is Sandy Stephens, and I'm employed by the Louisiana Department of Environmental Quality. I'll be serving as hearing officer this afternoon to receive comments regarding a proposed revision to the State Implementation Plan, and amendments to the Air, Radiation Protection and Solid Waste regulations.

The comment period for the State

Implementation Plan revision began on November 20,

2007, and the comment periods for the regulation

amendments began on December 20, 2007, when the

potpourri notice and notices of intent were

published in the Louisiana Register. The comment

period will close at 4:30 p.m., today, January 24,

2008, for the Log Number RP047ft, and at 4:30 p.m.,

January 31, 2008, for the State Implementation Plan

revision and for the Log Number AQ288 and SW046.

It would be helpful to us if all oral comments

received today were followed up in writing.

This public hearing provides a forum for all interested parties to present comments on the proposed changes. This hearing is not being conducted in a question and answer format. Please remember that the purpose of this public hearing is

to allow you, the public, and opportunity to express your thoughts concerning today's proposed amendments.

1

2

3

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

I'll ask that each person commenting come up and sit at the front table and begin by stating his or her name and affiliation for the record.

The first item on today's agenda is potpourri 0711Pot2, which gives notice of a revision to the State Implementation Plan for air quality.

The Office of Environmental Assessment, Plan Development Section, will submit a proposed revision to the State Implementation Plan (SIP) for the regional Haze Program as required under the Clean Air Act, Part C, Section 169, and 40 CFR Part Regional haze is visibility impairment caused by the cumulative air pollutant emissions from numerous sources over a wide geographic area. Section 169A of the Clean Air Act sets forth a national goal for visibility , which is the "prevention of any future, and the remedying of any existing, impairment of visibility in Class I areas, which results from manmade air pollution." Breton Wilderness Area, a chain of barrier islands approximately 30 miles off the southeast coast of Louisiana, is classified as a Class I Federal Area,

I, Denise M. Naquin, Certified Court
Reporter, in and for the State of Louisiana, the
officer, as defined in Rule 28 of the Federal Rules
of Civil Procedure and/or Article 1434 (b) of the
Louisiana Code of Civil Procedure, before whom this
sworn testimony was taken, do hereby state on the
Record:

That due to the interaction in the spontaneous discourse of this proceeding, dashes (--) have been used to indicate pauses, changes in thought, and/or talkovers; that same is the proper method for a Court Reporter's transcription of proceeding, and that the dashes (--) do not indicate that words or phrases have been left out of this transcript;

That any words and/or names which could not be verified through reference material have been denoted with the phrase "(phonetic)."

DENIS PAGSI REPORTED CCR

STATE OF THE VIEW OUSTING CCR

STATE OF THE VIEW OF THE REPORTED TO THE PAGE OF THE PAGE

CERTIFICATE

I, Denise M. Naquin, Certified Court Reporter, in and for the State of Louisiana, as the officer before whom this meeting was taken, do hereby certify that the above and foregoing pages are a true and correct transcription of the voice-writing method of the proceedings herein, reported by me at the time and place hereinabove stated and thereafter, was prepared and transcribed by me or under my personal direction and supervision, and is a true and correct transcript to the best of my ability and understanding.

Certifica Curt Reporter Louisiana License #25019

MOSLEY NADU



LOUISIANA MID-CONTINENT OIL AND GAS ASSOCIATION

801 NORTH BOULEVARD, SUITE 201, BATON ROUGE, LA 70802-5727 TELEPHONE (225) 387-3205 FAX (225) 344-5502 E-MAIL info@lmoga.com

January 31, 2008

Ms. Vivian H. Aucoin LDEQ Office of Environmental Assessment Post Office Box 4314 Baton Rouge, Louisiana 70821-4314

Re: State Implementation Plan for Regional Haze Program

Dear Ms. Aucoin:

The Louisiana Mid-Continent Oil and Gas Association appreciates the opportunity to comment on the State Implementation Plan for Regional Haze Program which appeared as a Potpourri notice (0711Pot2) in the November 20, 2007 Louisiana Register. Mid-Continent is an industry trade association representing individuals and companies who together produce, transport, refine and market crude oil, natural gas, petroleum products and electricity in Louisiana.

Comment 1 – Section 7.2

Mid-Continent would like to note for the record that the Emission Inventory reporting thresholds for several parishes are well below the 100 ton threshold cited in the plan. These thresholds are found in LAC 33:III.Section 919.

Comment 2 – Section 9.1

Mid-Continent has some concerns regarding the plan's statement that ammonia emissions will be lowered due to the state air toxic programs. Many of the NOx reductions cited for CAIR and the Refinery Consent Decrees will require ammonia injection. At some facilities, ammonia emissions will greatly increase due to the NOx control requirements. Additionally, DEQ in the December 20, 2007 Louisiana Register issued a Potpourri notice seeking comment on whether ammonia should be delisted from the state air toxics program.

Comment 3

Mid-Continent believes it should be noted somewhere in the plan itself that the ConocoPhillips passes the refined modeling criteria if the emission reductions that will result from their consent decree are included. While this is indicated in the appendix, it should be noted somewhere in the body of the plan itself.

Once again, Mid-Continent appreciates the opportunity to submit these comments.

Very truly yours,

Richard T. Metcalf Health, Safety and Environmental Affairs Coordinator

Michelle "Correa" Morgan

From:

Vivian Aucoin

Sent:

Wednesday, June 04, 2008 1:51 PM

To:

Michelle "Correa" Morgan

Subject:

FW: Reference: Comments on the Proposed Regional Haze SIP Rule

Vivian H. Aucoin
Environmental Scientist Supervisor
Office of Environmental Assessment, Planning Division P. O. Box 4314 Baton Rouge, La. 70821-4314
225-219-3575
vivian.aucoin@la.gov

----Original Message----

From: Kelly Bradberry [mailto:kellyb@sageenvironmental.com]

Sent: Wednesday, January 30, 2008 4:37 PM

To: Vivian Aucoin

Cc: Poche, Larry:; steven.w.johnson@conocophillips.com; Shawn Pritchett
Subject: Reference: Comments on the Proposed Regional Haze SIP Rule

Ms. Aucoin,

In accordance with the instructions issued in the Potpourri Notice 0711Pot2, published in the Louisiana Register, 11/20/2007, on behalf of our client, ConocoPhillips Alliance Refinery (ConocoPhillips), Sage Environmental Consulting LP is submitting the following comment to the proposed Regional Haze SIP Rule. Please review the comment submitted below and consider incorporating the following revisions.

Refer to Chapter 9, p. 9-11, Table 9.4: The table and associated text do not clearly indicate the source of the modeled impact results listed in the table. We surmise that the values are from the results of a CALPUFF BART screening runs 2001/2002 cases, performed by LDEQ and/or its contractor, as indicated in the figures following this table. The report text referring to the table does not explicitly state the origin of the number. Please consider adding text or a footnote to a reference that clearly specifies/indicates the source of these results.

Thank you for your consideration of this issue.

Respectfully,

Kelly Jean Bradberry

Client Service Manager

Sage Environmental Consulting, L.P.

"Friendly Service, No Surprises!"(tm)

8440 Jefferson Hwy., Suite 400

Baton Rouge, LA 70809

Office: 225.927.2258

Fax: 225.927.2256

Cell: 225.614.3107

This email message contains information that is confidential, may be protected by the attorney/client or other applicable privileges and may constitute non-public information. It is intended to be conveyed only to the designated recipient(s). If you are not an intended recipient of this message, please notify the sender of the error. Unauthorized use, dissemination, distribution or reproduction of this message is strictly prohibited and may be unlawful.

INFORMATION MEMORANDUM FOR THE ASSISTANT SECRETARY FISH AND WILDLIFE AND PARKS

FROM: Sandra Silva, Chief, Branch of Air Quality, US Fish and Wildlife Service

PHONE #: 303 914-3801

SUBJECT: FWS Comments on the draft Louisiana (LA) Regional Haze State

Implementation Plan (plan)

SUMMARY

In 1999, EPA issued regulations requiring all States to make reasonable progress toward the national visibility goal of no human-caused visibility impairment at all Class I areas. The FWS administers 21 Class I areas. The regulations require all States to establish plans by 2007, including initial control of older major stationary sources with Best Available Retrofit Technology (BART).

In reviewing the draft Regional Haze plan provided by Louisiana, FWS found that several requirements of the Regional Haze Rule were deficient in the plan. These elements include: insufficient analysis of reasonable progress and long term strategy for regional haze; inadequate inter-state apportionment and consultation; lacking information regarding Best Achievable Control Technology (BART); and omission of established visibility goals, as expressed in deciviews, for the 20% worst and the 20% best visibility days at the Breton Wilderness Area.

The FWS has communicated these concerns to LA through several consultation phone calls. The due date for submitting the comments to the State is **January 20, 2008**.

II. DISCUSSION

The Clean Air Act requires all States to consult with the Federal Land Mangers of Class I areas 60 days before a public hearing on any portion of the State's plan to address visibility impairment. The Louisiana plan is one of more than 35 plans the FWS Branch of Air Quality will review and provide technical feedback to the State. Due to the number of plans being reviewed and the demanding timeframe for review of each plan, efficient coordination between the FWS Branch of Air Quality and the Assistant Secretary's (AS) Office will be required. The FWS received LA Regional Haze draft plan on November 21, 2007.

The FWS has completed the review of the LA plan and have drafted a cover letter with an enclosure that describes the comments in detail. Through a previous

Attachment 1

Comments of the US Fish and Wildlife Service on the BART Determination of ConocoPhillips Company – Alliance Refinery

The most significant emission units at the Alliance Refinery are in the process of being controlled through a 2005 EPA Consent Decree. The three units being controlled are the Fluidized Catalytic Cracker (for SO₂), Process Refinery Flares (for SO₂) and Crude Unit Heater (for NO_x). ConocoPhillips presents no basis for the statement in Section 2.1.4 of the Best Available Retrofit Technology (BART) determination which states, "All of these control requirements are considered more stringent than BART and are therefore considered to satisfy the regulatory requirements of the BART analysis." Such a statement cannot properly be made without documentation that a five-factor BART analysis was performed for each unit. Nothing in the EPA Guidelines for Best Available Retrofit Technology Determinations¹ excuses a source from performing the five-factor analysis, even though some significant level of control has been recently initiated. EPA precedent has confirmed that controls deployed under a Consent Decree do not supersede the need for deploying controls determined under a BART determination.² Therefore, the Regional Haze SIP should contain all the documentation to justify that the Consent Decree controls result in control of visibility impairing pollutants to a greater extent than BART. Nevertheless, it is noted that the controls being initiated are among the most stringent controls that would be considered in a BART determination for each of the three emitting units. If the Louisiana Department of Environmental Quality (LDEO) concludes after a BART determination is performed that the control technologies in the Consent Decree are determined to be BART, then such a statement should be included in the Regional Haze SIP.

Since one of the statutory BART evaluation factors is cost-effectiveness, it is necessary that the annualized cost and cost per ton of each proposed control technology be thoroughly presented in the BART determination document.

Specifically, ConocoPhillips is proposing a wet gas scrubber for SO₂ control to be deployed in 2009 on the Fluidized Catalytic Cracker Unit; SCR for NO_x control to be deployed in 2008 on the Crude Unit Heater; and a yet-to-be-defined control technology with a control efficiency of at least 96.3% for SO₂ control for the Process Refinery Flares. The specific control technology for the Crude Unit Heater should be defined in the Regional Haze SIP. The wet gas scrubber for the Fluidized Catalytic Cracker is stated to reduce SO₂ emissions from 550.24 lb/hr to 275.12 lb/hr, showing 50% control efficiency. This technology is capable of significantly higher emission control, possibly 90%. This apparent deficiency in emission control should be explained, or a commitment should be made to a higher level of control. A five-factor BART analysis would likely generate a cost-effective technology with much higher control efficiency.

The Consent Decree mentioned above (Civil Action No. H-05-0285) is referenced but is not attached to the ConocoPhillips BART determination or the Regional Haze SIP. This document should be included as one of the appendices in the RHSIP.

¹See 40 CFR Part 51, Appendix Y The U.S. Environmental Protection Agency finalized it's BART Guidelines on June 15, 2005, and published the preamble and final rule text in the Federal Register on July 6, 2005. The rulemaking action added Appendix Y to Part 51, titled "Guidelines for BART Determinations Under the Regional Haze Rule."

² EPA, Region 8 Comments on Proposed BART Determination and Permit, signed by Callie A. Videtich, dated July 19, 2007, regarding Tri-State Generation and Transmission Association, Inc., Craig Station.

Attachment 2

Comments of the US Fish and Wildlife Service on the BART Determination of Sid Richardson Carbon Company, Addis Plant

The feedstock for this carbon black manufacturing company is 3% sulfur carbon black oil. This sulfur content is not improved upon by any other carbon black manufacturing facility, so Sid Richardson Carbon Company (Sid Richardson) considers this to be Best Available Control Technology (BACT). Likewise, Sid Richardson states that no other carbon black manufacturing facility deploys HEPA/ULPA or wet scrubbing that might be considered more efficient than the Sid Richardson fabric filters that are 99.923% efficient in collecting particulate matter, so this technology is considered BACT by Sid Richardson.

Sid Richardson has stated that no other carbon black manufacturing facility has deployed any SO₂ or NO_x control technology that might be used in the reactors, dryers or flairs. Thus, none of these technologies could be deemed to be technically feasible applications. However, the Degussa Engineered Carbons, LP carbon black plant in Baytown, Texas (Permit Number 9294) deployed a caustic scrubber for SO₂ control in the early 2000's. This demonstrates technical feasibility of a caustic scrubber on a carbon black plant. This portends that Sid Richardson (and/or Louisiana Department of Environmental Quality (LDEQ)) perform a Best Available Retrofit Technology (BART) determination that includes an SO₂ scrubber as an alternative control technology with a supporting cost analysis.

In summary, the current operating parameters of the Addis Plant that are declared to be BACT, which can be referred to as the "most stringent controls available," are as follows:

- Primary and Secondary Fabric Filters that are 99.923% efficient
- Good combustion control to limit NO_x formation in the dryers
- 3% sulfur carbon black oil as feedstock
- Use of pipeline quality natural gas for clean flairs

From the above declarations (with the possible exception of an SO₂ scrubber as noted above) LDEQ may choose conclude that the Sid Richardson Carbon Company, Addis Plant is operating with the most stringent controls available, which the EPA BART Guidelines deem to satisfy BART.

The LDEQ should formally acknowledge the assertions of the Sid Richardson Carbon Company, Addis Plant by documenting agreement with these operating conditions in the Regional Haze State Implementation Plan so as to make them federally enforceable.

¹ See 40 CFR Part 51, Appendix Y. The U.S. Environmental Protection Agency finalized it's BART Guidelines on June 15, 2005, and published the preamble and final rule text in the Federal Register on July 6, 2005. The rulemaking action added Appendix Y to Part 51, titled "Guidelines for BART Determinations Under the Regional Haze Rule." The section of the guidelines referenced above (Section IV, D, Step 1, 9) appeared in the Federal Register at 70 FR 39165, July 6, 2005.

Attachment 3

Comments of the US Fish and Wildlife Service on the BART Determination of Rhodia, Inc. Sulfuric Acid Plant at Baton Rouge, LA

The subject BART Determination is deficient in considerable information that would be required for a third-party to corroborate the conclusions. Please supply the following information:

- A description of the current sulfur acid plants' equipment configuration and existing air pollution control equipment
- Spreadsheets itemizing equipment and construction costs of each of the BART alternatives
- Documentation to support each cost estimate, including vendor quotes, bid specifications and/or other authoritative information

The literature does not seem to support a claim that single contact, caustic scrubbing of tail gas can deliver 3-hour average emission limits of 3.0 pounds per ton of 100% H₂SO₄. An SO₂ to SO₃ conversion efficiency of the stated 94% would be expected to result in emissions of about 82 pounds per ton of product. Only a 99.7% conversion efficiency might yield 4.0 pounds per ton, 24-hour average, in an otherwise uncontrolled plant. This is the reason for the above request to supply information on existing control equipment. The literature suggests that this 99.7% level of conversion efficiency is attained only through the use of double-absorption technology. This is further evidenced by a review of the RACT/BACT/LAER Clearinghouse on EPA's webpage, where determinations issued during the last 10 years show only double-absorption process technology producing SO₂ emissions in the range of 3.5 to 4.0 pounds per ton of 100% H₂SO₄.

The BART determination does not supply an incremental cost analysis, instead citing that all the control alternatives have equivalent destruction efficiencies (approximately 94%). As discussed above, utilizing double-absorption alternative can achieve significantly greater destruction efficiency, (up to 99.7%). Therefore, an incremental cost analysis should be supplied.

Assuming the above premise that caustic scrubbing with 94% destruction efficiency does not result in adequate control, consideration should be given to the addition of a mist eliminator to the exit gases.

There is no mention of Continuous Emission Monitors being used as a method of compliance.



United States Department of the Interior

OFFICE OF THE SECRETARY Washington, DC 20240



Mike D. McDaniel, Ph.D, Secretary Louisiana Department of Environmental Quality 602 N. Fifth Street Baton Rouge, Louisiana 70802 JAN 1 7 2008

Dear Dr. McDaniel:

On November 21, 2007, the State of Louisiana submitted a draft implementation plan describing its proposal to improve air quality regional haze impacts at mandatory Class I areas across your region. The U.S. Fish and Wildlife Service (FWS) received and has conducted a substantive review of your draft Regional Haze Rule implementation plan, prepared in fulfillment of your requirements under regulations 40 CFR 51.308(i)(2).

We appreciate the opportunity to work closely with the State through the initial evaluation, development, and, now, subsequent review of this plan. Please note that only the Environmental Protection Agency (EPA) can make a final determination regarding the document's completeness and therefore its ability to receive Federal approval from EPA.

As outlined in a letter to each State dated August 1, 2006, our review focused on eight basic content areas, which reflect priorities for the Federal land management agencies. In general, our review of the State of Louisiana's draft plan indicates a need to more completely address the land management agency priorities. However, the FWS Branch of Air Quality staff stands ready to work with you toward resolution of these issues. Note that we have highlighted comments in bold face that we feel warrant additional consultation prior to public release. We look forward to your response, as per section 40 CFR 51.308(I) (3). Specific questions regarding the review of and consultation on the draft plan may be directed to Mr. Tim Allen, FWS Branch of Air Quality, at (303) 914-3802.

Again, we appreciate the opportunity to work closely with the State of Louisiana and compliment you on your hard work and dedication to significant improvement in our nation's air quality values and visibility. Cooperative efforts such as these ensure that, together, we will continue to make progress toward the Clean Air Act's goal of natural visibility conditions at all of our most pristine National Parks and Wilderness Areas for future generations.

Sincerely,

Acting

Assistant Secretary for Fish and Wildlife and Parks

Enclosure

U.S. Fish and Wildlife Service Comments Regarding Louisiana Draft Regional Haze Rule State Implementation Plan

On November 21, 2007, the State of Louisiana submitted a draft Louisiana State Implementation Plan (SIP) Revision for the Regional Haze Program, pursuant to the requirements codified in Federal rule at 40 CFR 51.308(i)(2), to the U.S. Department of the Interior, U.S. Fish and Wildlife Service (FWS).

The air program staff of the FWS has conducted a substantive review of the Louisiana draft plan and provides the comments listed below. Our bold face comments described below warrant additional consultation prior to public release of the Louisiana Regional Haze Plan.

We are providing these comments to the State and wish them to be placed in the official public record. We look forward to your response as per section 40 CFR 51.308(i)(3), and we are willing to work with the Louisiana Department of Environmental Quality (LDEQ) staff towards resolving the major issues discussed in this letter. For further information, please contact Tim Allen with FWS at (303) 914-3802.

Overall Comments

The Fish & Wildlife Service has a significant concern that the information provided in the Louisiana SIP Revision for the Regional Haze Program fails to describe or address content elements required by the Regional Haze Rule. In reviewing the Louisiana draft SIP, the FWS has identified four elements that are deficient and in our opinion, does not meet the requirements for an approvable SIP. These elements are:

- deficient analysis of reasonable progress and long term strategy for regional haze including the absence of an "Area of Influence" (AOI) or sub-RPO evaluation of reasonable control expectations;
- inadequate inter-state apportionment and consultation;
- deficient information regarding Best Achievable Retrofit Technology¹ (BART); and
- omission of established visibility goals, expressed in deciviews, for the 20% worst and 20% best visibility days at the Breton Wilderness Area.

The State has relied, almost solely, on work completed by a contractor for the CENRAP Regional Planning Organization (RPO). The RPO work is based on regional controls and does not provide state specific progress goals. Louisiana has not adequately evaluated reasonable progress, nor developed a long term strategy specific to the Breton WA. The information supplied by the contractor can be used by Louisiana to develop the State's opinion and contains useful information that can be used to establish reasonable progress for the Breton WA. However, the information should not replace the State's obligation to

¹ BART-eligible sources are those sources that have the potential to emit 250 tons or more of a visibility-impairing air pollutant, were put in place or under construction between August 7, 1962 and August 7, 1977, and whose operations fall within one or more of 26 specifically listed source categories. Under CAA section 169A(b)(2)(A), BART is required for any BART-eligible source which "emits any air pollutant that may reasonably be anticipated to cause or contribute to any impairment of visibility in any such area."

evaluate reasonable progress factors and draw its own conclusions regarding reasonable controls.

The location of the Breton WA suggests that several States and Gulf emission sources likely contribute to visibility impairment. Louisiana has not adequately assessed the contribution of neighboring States and Gulf sources to visibility impairment at the Breton WA. An AOI evaluation and source apportionment demonstration is completely lacking and there is no evidence that information has been shared with neighboring States regarding their potential contribution to Breton.

The SIP does not provide enough information that fully describes the steps taken to evaluate BART. In addition, where BART is being established through other programs (i.e. consent decrees), the State must show that the final action results in controls that would be comparable to those achieved through a full BART evaluation.

The remaining comments below are organized according to the priorities that we presented in our August 1, 2006 letter.

Comments:

Baseline, Natural Conditions, and Uniform Rate

1. The plan discusses the issues surrounding the Breton IMPROVE site and the efforts to fill missing data. Recently, CIRA in connection with the IMPROVE committee, updated the basic current and natural conditions calculations using substitute data for stations with missing measurements. The most current results of these calculations are available on the CIRA/VIEWS website. Louisiana did not use these newly revised values and should incorporate them into their Regional Haze Plan.

Emission Inventories

- 2. Chapter 7 of the draft SIP narrative provides an overview of the emission inventories supporting the plan. However, comprehensive information describing the base year, performance, and future year inventory is not included as part of Chapter 7. Please provide more detailed information with respect to all inventories and the assumptions made with respect to their development. While some inventory information may be found in other portions of the plan, it should also be clearly summarized in the SIP parrative.
- 3. Table 7.1 and Table 7.2 provide summary emission levels for point, area, non-road, and on-road categories. Please provide more discussion regarding these emission levels. For example, do the numbers included in these tables represent emissions from sources in Louisiana or are they regional estimates?

In addition, it is important to discuss how emissions are projected to change and the consequences of such changes on meeting the State's regional haze goals. For example,

the plan asserts that sulfur emissions are the primary visibility impairing pollutant, yet sulfur emissions associated with point and area sources are projected to increase.

4. The discussion in Chapter 8: Modeling Assessment, pertaining to model performance is contradictory and needs further explanation. For example, the plan states that the model performance for sulfate and organic carbon is "good". However, the model performance specific to Breton WA is described as "mixed" and over predictive of sulfates. This statement is contradicted by Figure 8.1 Comparison of observed and 2002 Base G modeled daily extinction for Breton Island, Louisiana and Worst 20% days in 2002. The figure indicates that sulfates are greatly under predicted when compared to Breton monitoring data. The modeling performance assessment should be clearly described, especially with respect to sulfates as they are identified as the primary visibility impairing pollutant of concern.

In addition, Figure 8.1 references the inventory as "typ02g" or 2002 Base G. The performance modeling should be based on the performance inventory, not the base year inventory.

- 5. Section 8-5 describes the 2018 Base G modeling as including BART controls for Electric Generating Units (EGUs) located in Oklahoma, Arkansas, Kansas, and Nebraska. Please elaborate on what assumptions were made for BART in the 2018 Base G modeling for these states. For example, please specify if a presumptive level, some declared level, or no additional controls were assumed in 2018.
- 6. Figure 8.2 URP Glidepath for 20% Worst and Best Days, provides a graphical illustration of future model predictions versus the Uniform Rate of Progress. Please include a discussion describing "method 1 prediction." Are Relative Reduction Factors (RRFs) incorporated into these graphs? If RRFs are assumed, please provide a discussion of what these factors are and how they are integrated into glidepath predictions.

Area of Influence

- 7. The State does not provide information regarding AOI with respect to each Class I area that is influenced by Louisiana sources. The State has access to analyses produced by CENRAP and VISTAS that establish the significant source AOI for Class I areas in and near Louisiana. These geographical AOIs have been established by the RPOs to document the location of sources that have the highest potential to impair visibility at each Class I area. Through use of these AOIs, Louisiana has the opportunity to focus its 4 factor and reasonable progress analyses on the areas with the most significance for regional haze. In addition, all estimates of cost benefit (i.e. dollars per ton) should be based on these influential areas or with individual sources located within these AOIs.
- 8. The introduction of the plan, Page 1-4, refers to the use of the CALPUFF model in its analysis of Louisiana sources' impacts on Class I areas located in neighboring states. More detail should be provided with respect to this analysis and the sources that were

modeled, as well as a discussion of the conclusions drawn by Louisiana as a result of this analysis.

Best Available Retrofit Technology

- 9. On page 9-2, the plan states, "Consistent with the Guidelines, LDEQ did not evaluate emissions of Volatile Organic Compounds (VOCs) and ammonia in BART determinations..." Guidelines do require that the State evaluate ammonia and VOCs for BART. The State should consider either modeling these effects or provide an analysis on why these components are not significant contributors.
 - Also, Figure 9.1 CENRAP Modeled 20% Worst Days, is said to illustrate that VOCs do not contribute significantly to light extinction at the various Class I areas, however VOCs are not included in the figure.
- 10. Please reconcile the information on page 9-4 with the information presented in *Figure 9.1 CENRAP Modeled 20% Worst Days*. The plan states that there are seven Class I areas that experience a modeled impact over 1.0 deciview from sources located in Louisiana. However, Figure 9.1 illustrates impacts at various Class I areas in terms of light extinction (Mm⁻¹). Please correlate these units, so that it is clear how Louisiana sources affect the evaluated Class I areas.
- 11. The BART discussion provided on pages 9-4 and 9-5 is confusing and needs further elaboration. The discussion of BART screening performed by the State seems to be a blend of modeled impacts of 0.5 deciview, development of an "artificial model", and an analysis of back trajectories. More information is needed to effectively describe methods used by the State in identification of the BART subject sources.
 - For sources screened using an "artificial model" approach, a comparative analysis should be included to illustrate that the scenarios are "worst case." The plan needs to describe how the selected emission characteristics represent "worst case" conditions and how these conditions are indicators that sources at further distances will not have a higher impact.
- 12. The plan includes a list of BART sources, but no final decisions have been expressed. We are including, as attachments to this enclosure, comments specific to the three BART determinations included in Appendix G of the Regional Haze SIP.
- 13. Both Figures 9.4 and 9.6 are labeled *Bart Source CALPUFF Screening 2001*. Please clarify and also include a discussion explaining the information presented in Figure 9.4, Figure 9.5, and Figure 9.6.

Reasonable Progress Goals; Long Term Strategy

14. Chapter 10 of the plan describes Louisiana's reasonable progress goals toward improved visibility. The plan appears to rely entirely on the technical analysis of the CENRAP and

VISTAS RPOs. While the work of the RPOs is essential to individual States in developing regional haze plans, each state is required to analyze reasonable progress and perform a 4 factor analysis for their individual reasonable progress plans. Louisiana appears to have relied solely on the technical document supplied by a CENRAP contractor (Alpine Geophysics) and has not formulated a state specific plan for reasonable progress. While it is appropriate for a state to cite a technical analysis performed by an RPO, it does not constitute a complete analysis of reasonable progress for an individual state.

- 15. The State suggests that additional reductions would cost as much as \$1696/ton. Again, this dollar amount is cited from a technical document supplied by an RPO contractor and is based on regional averages. However, the plan does not discuss why this dollar amount is not reasonable, nor does it explore other reduction options and associated costs. The plan should explore local reduction possibilities, specifically within an AOI, and fully evaluate cost effectiveness on a local scale. The obligation to perform a 4 factor analysis should not be limited to state or regional averages of costs for source categories or by specific pollutant.
- 16. The plan does not provide information with respect to the 20% cleanest days at Breton WA. The Regional Haze Rule requires that reasonable progress goals be established for protection of the 20% cleanest days at each Class I area, as well as improvement of the 20% dirtiest days.
- 17. Again, an AOI analysis is completely absent from the SIP. However, the SIP asserts that some RPO inventory estimates have double counted Gulf emissions at Breton WA, and implies that these emissions have significance. Since no apportionment of emissions by source category was provided by the State, the magnitude of the importance of Gulf emissions is unknown. This source category should be clearly described, as well as all other sources categories that contribute to visibility impairment at Breton.

Fire

18. The plan indicates that LDEQ does not have primacy with respect to smoke management plans therefore, does not provide information regarding smoke and its impact on Breton. It has been customary for the agency delegated to respond to regional haze requirements to work with their smoke management agency to develop information on how the State currently addresses or plans to address potential smoke impacts at Class I areas. If the State believes that smoke has little impact at Breton and will not impact visibility in the future, this information should be provided in the SIP.


Verification and Contingencies

19. The State suggests complete reliance on the IMPROVE monitoring network and does not describe alternative monitoring scenarios. The Regional Haze Rule is clear that states are ultimately responsible for monitoring in support of visibility protection. This is the case regardless of the availability of Federal funding for monitoring programs. Although we

share your interest in maintaining IMPROVE, the plan should provide additional discussion on alternatives to tracking regional haze progress.

Coordination and Consultation

- 20. In addition to establishing AOIs, the State should discuss and identify contribution of visibility impairing emissions from areas outside of Louisiana. This should include apportionment information developed by the RPOs regarding Mississippi, Alabama, and off shore Gulf emissions.
 - The State should present apportionment information to neighboring states and the Gulf permitting authorities and provide information regarding consultation with these entities. Clearly identifying these attributions also will assist in future requirements to assess the progress towards natural visibility conditions Breton during the State's mid-term review process in 5 years.
- 21. On page 4-1, the plan states "Louisiana is committed to continue to coordinate and consult with the federal land managers (FLMs) during the development of future progress reports and plan revisions, as well as during the implementation of programs having the potential to contribute to visibility impairment in the mandatory Class I areas." The Regional Haze rule is clear that states should develop an on-going consultation plan as opposed to a general commitment. Please provide more detail regarding Louisiana's plan for continued consultation, such as timelines for future Regional Haze Plan revisions and coordination with FLMs on specific programs such as Prevention of Significant Deterioration/New Source Review.



Forest Service Ouachita National Forest

P.O. Box 1270 Hot Springs, AR 71902

File Code: 2580-2

Date: January 31, 2008

Mike D. McDaniel Secretary Department on Environmental Quality P.O. Box 4301 Baton Rouge, LA 70821-4301

Dear Secretary McDaniel:

On November 21, 2007, the State of Louisiana submitted a proposed State implementation plan (SIP) describing its proposal to improve air quality regional haze impacts at mandatory Class I areas across your region. Technical appendixes that are referenced in the SIP were received from the State on November 26, 2007. We appreciate the opportunity to work closely with the State through the initial evaluation, development, and, now, subsequent review of this plan. Cooperative efforts such as these ensure that, together, we will continue to make progress toward the Clean Air Act's goal of natural visibility conditions at all of our most pristine National Parks and Wilderness Areas for future generations.

The U.S. Department of Agriculture, U.S. Forest Service, received and has conducted a substantive review of your draft Regional Haze Rule implementation plan, which you are preparing in fulfillment of your requirements under the federal regulations 40 CFR 51.308(i)(2). You have met your requirement to give the FLM 60 days to review. Please note, however, that only the U.S. Environmental Protection Agency (EPA) can make a final determination regarding the document's completeness and, therefore, ability to receive federal approval from EPA.

As outlined in a letter sent to each State in October, 2006, our review focused on eight basic content areas. The content areas reflect priorities for the Federal Land Manager agencies, and we have enclosed comments associated with these priorities. Note that we have highlighted comments in bold face that discuss what we consider to be major concerns of the proposed SIP that we believe warrant additional consultation prior to final adoption of the Louisiana Regional Haze Plan. The Forest Service air quality staffs stand ready to work with you towards resolution of these issues. We look forward to your response, per section 40 CFR 51.308(i)(3). For further information, please contact Judith Logan at (501) 321-5341.



Again, we appreciate the opportunity to work closely with the State of Louisiana and compliment you on your hard work and dedication to significant improvement in our nation's air quality values and visibility.

Sincerely,

/s/Bill Pell (for)Norman G. Wagoner FOREST SUPERVISOR

Enclosure

cc: Chuck Carr Brown, Cheryl Nolan, Jennifer Mouton, Annette Sharp, Patrick Cummins, Guy Donaldson, Joe Kordzi, Chris Pease, Meredith Bond, Vivian Aucoin

Forest Service Technical Comments on Louisiana's Department on Environmental Quality (LDEQ) Draft Regional Haze State Implementation Plan (SIP)

Overall Comments

As stated in our letter, we appreciate the opportunity to work with your agency through the initial evaluation, development, and, now, subsequent review of this plan. To facilitate review, we have formatted in **bold** text those items that are of significant concern to the US Forest Service and we request additional consultation with LDEQ staff on these issues before final adoption of the Louisiana SIP.

Reasonable Progress and Long Term Strategy

The State cites a report submitted to CENRAP from Alpine Geophysics as the sole response to the mandatory four factor analysis and the conclusion of reasonable controls. The Alpine document provides general information in support of each State and makes suggestions of controls that should be considered. Although supportive, the report does not constitute a replacement to the State's obligation to evaluate the factors and to draw conclusions of controls that may be reasonable. This obligation should not be limited to State or regional averages of costs for all sources or by specific pollutant.

The State has access to analysis produced by CENRAP and VISTAS that establishes the significant source "areas-of-influence" (AOI). These geographical areas have been established by the RPOs to document the locations of sources that have the highest potential to impair visibility at each Class I area. Through use of these AOIs, the State has the opportunity to focus its 4 factor and reasonable progress evaluations to the most significant area. In addition, all estimates of cost benefit (i.e. dollars per ton) should be based on these areas or at individual sources within this area.

Inter-State Consultation

In addition to establishing AOIs, the State should discuss and identify contribution of visibility impairment emissions from areas outside the State of Louisiana. This should include apportionment information developed by the RPOs regarding Mississippi, Alabama, and off shore Gulf emissions.

The State should present consultation documentation on that apportionment with the other State and Gulf permitting authorities. Clearly identifying these attributions also assists in future requirements to assess the progress to Breton during the States mid-term review process in 5 years.

BART – Determinations

The State does not provide sufficient information to fully evaluate BART steps or provide a conclusion on the sources requiring BART determinations. In cases where BART is being established through other programs (i.e. consent decree), the State must

show that the final action results in controls that would be at or better than those achieved through a full BART evaluation.

Due to the proximity of Breton, discussion of BART controls may extend into other permitting control areas and should be identified in the BART section and followed through inter-State consultation.

Executive Summary

Page ES-2, paragraph 3. LA states that CALPUFF modeling, assumed to be conducted by LA on a source-by-source basis, shows the facilities in central and Northern LA bear no impact to visibility at Caney Creek Wilderness. However, LA does not indicate if these sources have a significant, cumulative impact, and whether these specific sources should be considered under reasonable progress.

Chapter 1: Background on the Regional Haze Rule

Page 1-4, Section 1-3, paragraphs 4 & 5. LA states that during triennial reviews, emission inventories of LA's stationary sources with 100 km of Breton have been performed. LA is praised for including point sources within Mississippi as part of their 2003 triennial review. However, in future reviews associated with LA's proposed long term strategy, the Forest Service requests that emission inventories from stationary sources within 300 km of Breton be reviewed from all states for potential visibility impacts to Breton.

Page 1-4, Section 1-4. While this section states that 40 CFR Section 51.308(d) directs each state to address regional haze for Class I areas both inside and outside its political boundaries, facilities in central and Northern LA are deemed by LA to be not responsible for visibility impacts to Class I Areas outside LA. CALPUFF modeling is cited with little reference. CALPUFF modeling in support of BART modeling does not present a convincing case.

Chapter 2: General Planning Provisions

Chapter 3: Regional Planning

Chapter 4: State, Tribe and Federal Land Manager Consultation

Page 4-1, LA states, "Louisiana is committed to continue to coordinate and consult with FLMs...". The rule suggests that States develop an on-going consultation plan as opposed to the simpler commitment. Please provide more information on topic and time line regarding Louisiana's continued consultation process with states, tribes, and FLMs through the regional haze review and revision process.

Chapter 5: Assessment of Baseline and Estimate of Natural Conditions in Class I Areas

Page 5-1. Discussion is provided regarding missing data from the Breton IMPROVE site. A process is described to back-fill missing data from other non-missing locations through the use of a contractor. Recently, CIRA in connection with the IMPROVE

committee updated basic current and natural calculations using substitute data for station with missing data. The most current values of these calculations are presented on the CIRA/VIEWs website. Because LA and CIRA/VIEWs data may be different, LA should review and potentially adopt the new figures.

Chapter 6: Monitoring Strategy

Section 6.1, page 6-2, paragraph 3. LA suggests that an IMPROVE monitor to replace that destroyed by Hurricane Katrina be relocated to a site near Lake Catherine, St. Bernard Parish, over 80 km from Breton, by January, 2008. LA should include a summary of its analysis to chose this location, and conduct a similar analysis to locate the IMPROVE monitor in closer proximity to Breton, including an unprecedented option to locate the monitor near Gulf Port, Mississippi, approximately half the distance to Breton relative to the Lake Catherine site.

Section 6.2, page 6-4. The State suggests a complete reliance on the IMPROVE monitoring network with no description of alternative monitoring efforts or utilization of substitute data. The Regional Haze Rule implies that states are required to track progress regardless of the status of federally funded monitoring programs. Although we share LA's interests in maintaining IMPROVE, LA should still provide additional discussion and alternatives on tracking regional haze progress.

Chapter 7: Emission Inventory

This chapter on emission inventory provides good definition information but falls short of a comprehensive summary of the resulting final inventories used in support of the SIP. Some information provided in the modeling section goes into more detail about the performance, base and future inventories. This type of discussion should be included in Chapter 7, and provide a comprehensive summary without the need to fully investigate the highly technical appendix D.

Section 7.1, page 7-1, paragraph 2. The Forest Service understands that the reference to four general categories of emission sources relates to anthropogenic sources. However, to the casual reader, without some reference to biogenic emissions within the Overview Section, the existing reference may not be complete enough in relation to the section devoted to biogenic sources later in the Chapter.

Page 7-3, Table 7.1 and Table 7.2. These tables provide very basic data on emission levels with little to no discussion. It would be important to address whether data provided represents LA specific or regional levels and why, if sulfur emissions are discussed throughout the draft document as the primary visibility pollutant, that projections of sulfur emissions or going up overall. It is especially interesting that point and area sources of sulfur are on the increase. Also, biogenic emissions should also be included in these tables for completeness and ease of comparison.

Chapter 8: Modeling Assessment

Section 8.3, page 8-2. As stated before, the emission inventory subsection of 8.3 provides more specific information about inventories than the inventory chapter but still lacks

sufficient detail to summarize the final inventories used in support of the SIP.

Section 8.4. Sulfate and organic carbon performance is termed good on page 8.3. However, on page 8-4, the Breton performance is described as "mixed" and sulfate performance as "...almost always greatly over predicted." These descriptions are confusing and inconsistent, and should be reconsidered. This is followed by figure 8-1 on page 8-5 that appears to contradict the statements by showing model predictions as almost always greatly under predicting when compared to monitored values, leading to the possibility that utilizing controls as proposed in the draft SIP, may leave Breton farther from the URP in 2018 than predicted. The figure also references use of the "typical 02g" inventory when model performance should be looking at the "performance" inventory.

Page 8-6. LA does not identify which version of IPM is utilized. It is assumed either version 3.0 or 2.1.9 was utilized. This should be clarified.

Page 8.6. It is stated that CAIR and EGU BART controls from Oklahoma, Arkansas, Kansas and Nebraska were included in Base G model simulations. LA should clarify if these BART determinations have been made (presumptive or a declared level) or whether BART as proposed has no additional controls. This information source does not appear in the consultation section.

Page 8-7, Figure 8.2. This figure with associated text provides a comparison of future model prediction vs. the Uniform Rate of Progress. LA should describe what "method 1 Prediction" means, and provide a thorough discussion on the use of RRFs that we assume are incorporated in these graphics.

Chapter 9: Best Available Retrofit Technology (BART)

Section 9.1, page 9-2. LA states that "Consistent with Guidelines, LDEQ did not evaluate emissions of VOC and ammonia in BART..." The guidance suggests alternative methods for addressing VOCs and ammonia other than CALPUFF modeling but does suggest addressing these pollutants. Please expand your discussion on why VOCs and ammonia would not need further evaluation.

Section 9.3, page 9-4. LA states, "Modeling results shown in Figure 9.1 indicate that there are seven Class I areas that experience an impact over 1.0 deciview..." However, Figure 9.1 is a graph of extinction in inverse megameters at Breton alone. The seven Class I areas impacts at over 1.0 dv are listed later in this Section.

Pages 9-4 & 9-5. The discussion to provide an initial screening to BART sources is a blend of a minimum 1dv impact, development of an "artificial model", and analysis of trajectories to determine significance. These may have no basis in BART. The artificial model approach may be significance, but too little information is presented to confirm that. Also, please indicate the coordinates of the source used in the "artificial model."

Pages 9-7 & 9-8. Supplementary artificial model examples are presented and used to

eliminate BART eligibilities. Please provide additional information to support this inclusion, including discussion on how selected emission characteristics represent "worst-case" scenarios, and would prevent examples of more distance sources from showing higher impacts than the example set. Also, because the back trajectories in Figures 9.2 and 9.3 indicate even one day residence within LA corresponding to the 20% worst days, it is not reasonable to conclude that those BART facilities in LA show no impact to either Sipsey or Mammoth Cave.

Page 9-11, Table 9.4. This table shows facilities subject to BART. However, no BART decisions are presented by LA.

Page 9-14, Figure 9.6 appears to be a repeat of Figure 9.4. A 2003 based figure is likely.

Chapter 10: Reasonable Progress Goals

Section 10.2, page 10-3. It is suggested that Appendix H shows that essentially OTW/OTB plans are reasonable for Louisiana. The Appendix represents a contractor's opinion/recommendation on the broad CENRAP area. It is appropriate for LA to cite portions of the document, but it can not constitute a response to reasonableness onto itself.

Page 10-4, It is suggested that control costs for it would be as low as \$1696/ton reduction. However, it is not clear whether LA is referring to NO_x or SO_2 reductions. LA makes no statement of why this is not reasonable. Did the State conduct any source or category specific analysis on cost/benefit? Please provide analyses for in-state facilitites.

Chapter 11: Long-Term Strategy

Page 11-2. LA suggests that models are used in a relative sense. As requested, please provide a discussion in an appropriate section about use of RRFs.

Section 11.4, page 11-3, paragraph 3. LA stated that "ongoing air pollution control programs were sufficient to meet RPGs through 2018." Based on previous comments, this statement has not been demonstrated.

Page 11-3, paragraph 4. LA suggests that LDEQ does not have primacy with smoke management plans, and therefore needed information in not provided in the draft SIP. It has been customary in other states for the agency delegated to respond to regional haze requirements to work with their smoke planning agency to include information on how the State currently addresses or plans to address the potential effects of visibility impairment at Class I areas due to smoke. Does the plan treat Class I areas as sensitive receptors to smoke, and if so, how will potential visibility impacts be addressed?

Page 11-4. LDEQ makes statements about double counting of Gulf emissions on Breton. This clearly implies that Gulf emissions have significance. The State provided no information on emission apportionment from off-shore sources. This source category is poorly described by the RPO or LA, yet appears to be significant. Please include a more

thorough discussion regarding Gulf emissions.

Chapter 12: Comprehensive Periodic Implementation Plan Revisions and Adequacy Determinations

The Forest Service requests that LA include a statement in this Chapter committing to future consultation with the FLMs.

Comment Summary Response:

EPA Comments

1. **Comment**: EPA in submitting the comments on the draft document reserved the right to address additional concerns that were not discovered during the 60+ day comment period provided due to time constraints.

Response: Louisiana believes that the Regional Haze SIP is an ongoing project to reach the mandated goal of pristine natural visibility by 2064. As such, Louisiana welcomes comments at any time but reserves the right to include answers to comments in the 5 year review as the data available at that time may make the concern moot.

2. **Comment:** The SIP contains a citation error at the top of page ES-3 of the executive summary, and at the top of page 2-1 of chapter 2, in which Section 51.308(e) is incorrectly referenced as Section 50.308(e).

Response: This citation error has been corrected.

- 3. Comment: LDEQ should ensure, with the submittal of the final SIP, demonstrates it has followed the requirements of Appendix V to Part 51. Region 6 also suggests that LDEQ edit the paragraph "Public Notice" on page 2.1 to include a reference to Appendix V of Part 51. Lastly, Region 6 suggests documentation showing that Louisiana complied with Appendix V of Part 51 be included in SIP Appendix A (Public Notice and Participation) of the final SIP submittal. Response: LDEQ has complied with every aspect of the public notice and hearing components of Appendix V of Part 51. A copy of all required documents is included in Appendix A as required of the final document.
- 4. **Comment:** In general, LDEQ should ensure that it has specifically addressed each requirement of Section 51.308, even if it feels specific requirements do not apply or appear to be self evident. It is suggested that a checklist be used for this purpose.

Response: LDEQ has made every attempt to respond to each of the requirements. A copy of the checklist provided by Region 6 to the CENRAP States is included in Appendix J.

5. **Comment:** All graphs and charts with color coded lines and bars should be reproduced in color, as black and white reproduction does not allow the identification of the individual items. This should be ensured in both the printed and electronic versions of the SIP, including all appendices.

Response: LDEQ has complied with this request.

6. **Comment:** In Chapter 4, LDEQ cites Section 51.302(b)(2) when it references its obligation to consult with the Federal Land Managers instead of 51.308(i).

Response: This citation error has been corrected.

7. **Comment:** LDEQ should change the font on page 5-3 concerning the light extinction algorithms to make it more readable.

Response: LDEQ has tried to comply with this request, albeit to no avail. We apologize for the inconvenience.

8. **Comment Part 1:** EPA suggested that since the model used substituted data from the Gulfport MS site, that LDEQ should explore the possibility of using something other than the application of a single linear correlation between the Gulfport and Breton data. EPA feels that the correlations could then be used to construct conservative data, which would then be averaged to obtain the current conditions.

Response Part 1: All parties concerned, including LDEQ, EPA, FLMs and CENRAP modelers, discussed the possibilities at the time the model runs were made and agreed that this approach was the best suited at the time.

Comment Part 2: LDEQ should also consider using the updated analysis that CIRA recently conducted with the IMPROVE committee that updated natural conditions using substituted data for missing measurements.

Response Part 2: LDEQ acknowledges the problem of having weak monitoring data. With the submission of the 5-year report, LDEQ commits to review the calculation of current conditions, reconstruct the uniform rate of progress, and proactively make all assessments required under 40 CFR 51.308(g) and (h), including a diligent re-assessment of the reasonable progress goals as required by 51.308(h)(3) and (4).

9. Comment: LDEQ should provide more documentation than the summary presentation of the Breton/Gulfport data substitution exercise and the resulting calculations of the baseline conditions contained in Appendix C. This should include actual spreadsheets, calculations, worksheets, etc used to support this calculation.

Response: See response to Comment 8.

10. **Comment:** On page 5-4, LDEQ states that the new IMPROVE equation was used to construct the natural visibility condition. Although Appendix B was referenced, no information was found there that supports this calculation. LDEQ should supply any spreadsheets, calculations, worksheets, etc. used to support his calculation.

Response: The CENRAP contractor originally calculated natural background for Breton. The spreadsheets, calculations, worksheets, etc. were never supplied to any of the CENRAP states. A spreadsheet which illustrates the steps the contractor used can be found at the end of this document.

- 11. Comment: LDEQ should indicated how it will satisfy Section 51.308(d)(4)(v), which states "the implementation plan must provide for the reporting of all visibility monitoring data to the Administrator at least annually for each mandatory Class I Federal area in the state. To the extent possible, the State should report visibility monitoring data electronically."
 Response: LDEQ reports all monitoring data to EPA as required by 40 CFR 58.16. LDEQ has no operational control over this IMPROVE monitor. This monitor is operational under the control of the Department of the Interior. The Interior should report annually to the Administrator.
- 12. **Comment:** The following two comments deal with Section 51.308(d)(4)(v) concerning the Emissions Inventory (EI) data—
 - (a) It appears that all the EI data in the above webpage that pertains to the RH SIP is also included in the RH SIP as Appendix D. This text within Chapter 7 should therefore just reference Appendix D. The tables in Chapter 7 are unclear to the area/region that the emissions summaries are compiled. It would be helpful to have tables for just Louisiana to evaluate in Chapter 7 (Including base case 2002, baseline 2002 and 2018).

Response: The model used 2002 actuals for the stationary-point-source inventories which were provided by the individual states. The EI used was statewide for Louisiana. Similarly, the tables in Chapter 7 reflect 2002 Emissions Inventory for Louisiana.

(b) In addition to the baseline year and projected EI data, section 51.308(d)(4)(v) requires the EI, "include emissions for the most recent year for which data are available...The state must also include a commitment to update the inventory periodically." LDEQ should indicate how it has satisfied these requirements and where in its SIP this information can be found.

Response: Louisiana follows Federal rule by complying with CERR and AERR reporting requirements. According to EPA, the purpose of CERR is to simplify reporting; the pollutants reported include SOx, VOC, NOx, Co, Pb, PM10, PM2.5 and NH3. Updates for point sources are reported annually with the first year's data being 2002; updates for area, onroad mobile, nonroad mobile and biogenics are reported on a triennial basis. This reporting scheme will allow all data to be quality assured prior to use in the midcourse reports and 10 year revisions.

13. **Comment:** LDEQ should indicate how it has addressed Section 51.308(d)(4)(vi), which requires the SIP provide for "other elements, including reporting, recordkeeping, and other measures, necessary to assess and report visibility."

Response: Louisiana complies with the PSD requirements for new and modified sources through LAC 33:III.509.P.—Sources Impacting Federal Class I Areas—Additional Requirements.

14. Comment: On page 10-4, LDEQ references Appendix I as containing the notes from its consultation meetings. LDEQ should demonstrate how this information satisfies Section 51.308(d)(1)(iv). Region 6 is particularly interested in how this consultation may have informed LDEQ's reasonable progress goal.

Response: Throughout the RH SIP process, LDEQ participated in meetings with CENRAP, VISTAS, EPA, and the FLMs to discuss the AOI surrounding Breton. There were many discussions on the use of substitute data as well as what the regulated areas could do to reduce emissions that cause visibility impairment. These meetings set the course on how LDEQ would begin to develop a control strategy toward the 2064 Visibility Goal through state and national program development.

- **15. Comment:** Section 51.308(d)(3)(v) requires that LDEQ consider, at a minimum, certain factors in developing a long term strategy. In general, LDEQ addressed these requirements by making short statements which do not appear to demonstrate these factors were carefully considered. The following comments provide more specifically:
 - (a). On page 11-3, in response to the requirement of Section 51.308(d)(3)(v)(C) that LDEQ consider emission limitations and schedules for compliance to achieve its reasonable progress goal, LDEQ states that ongoing pollution control programs were sufficient to meets its reasonable progress goals through 2018. LDEQ should provide a technical justification.

Response: See discussion added in Chapter 11, Section 11.3 Weight of Evidence.

(b). On page 11-3, in response to Section 51.308(d)(3)(v)(B), which requires LDEQ to consider measures to mitigate the impact of construction activities, Louisiana states it may require visibility monitoring in any Class I area where preconstruction and post-

construction of any new source or major modification may have an adverse impact on visibility in any Class I area.

Response: Louisiana issued Emergency Orders which allowed for repair; however if the unit had to be replaced, the facility was required to proceed with the normal permitting requirements. This would include PSD determinations for visibility impairment.

(c.) Section 51.308(d)(3)(v)(D) requires that LDEQ consider source retirement and replacement schedules in constructing its long term strategy. LDEQ should demonstrate how it specifically considered these criteria in developing its long term strategy, particularly where these schedules would have a significant impact on regional emission loadings and on a State's ability to achieve reasonable progress goals.

Response: The statutory factor of the remaining useful life of the source is applicable only to those measures which would require retrofitting of control devices at existing sources. Louisiana's long term strategy does not include the promulgation of any new rules which would cause the retrofitting of control devices at this time.

(d). LDEQ should demonstrate how it has met Section 51.308 (d)(3)(v)(C) which requires that Louisiana consider emissions limitations and schedules for compliance to achieve the reasonable progress goal.

Response: Louisiana relied on the CAIR emission reductions of SO2 and NOx; the SO2 and NOx reductions that would be gained from the National Refinery Initiative; the SO2 reductions gained from the consent decree with Rhodia; and the national rules that have been implemented or will be implemented during the next 10 years. Certainly if EPA believes that the national programs are enough to bring most of the continental United States into attainment for ozone by 2020, they also believe that the reductions will gain much in the way of combating visibility impairment. More specific language has been incorporated into Chapter 11, Long Term Strategy.

- **(e.)** Section 51.308(d)(3)(V)(E) requires that Louisiana consider smoke management techniques for agricultural and forestry management purposes; consequently, the Louisiana RH SIP should do one of the following:
- i.) demonstrate through source apportionment or other methods that fire emissions are not a significant contributor to visibility impairment at Breton.
- ii.) Institute smoke management practices or techniques that reduce are fire emissions within the state.

Response: LDEQ is actively participating in a workgroup to develop a comprehensive smoke management plan for the State of Louisiana. The plan will be developed in accordance with the EPA's Interim Air Quality Policy for Wildland and Prescribed Fires. We hope to have a plan in place by the end of the year 2008.

16. **Comment:** Section 3-7 of Appendix B discusses model performance evaluation of the 20% best and worst days. LDEQ should explain how it has accounted for this level of modeling performance in its regional haze demonstration and how this may have been incorporated into LDEQ's reasonable progress determination.

Response: The department acknowledges poor model performance. While the CENRAP contractor was reporting modeling results, LDEQ was concerned with poor model performance for the Breton area but it did not then nor does it now have the resources to remodel ourselves. That part of uncertainty that resulted from this poor modeling performance in addition to poor

monitoring data is the reason why the LDEQ regional haze SIP postpones the decision to impose controls that may or may not address visibility issues at Breton until the next midcourse review.

- 17. **Comment:** Region 6 cannot determine where LDEQ has addressed Section 51. 308(d)(3), which requires "the long term strategy must include enforceable emission limitations, compliance schedules, and other measures as necessary to achieve the reasonable progress goals established by States having mandatory Class I Federal areas".
 - **Response:** In this SIP, since the projected 2018 visibility is just above that on the glideslope and current poor model and monitoring performance, the long range strategy is to reassess visibility at the midcourse correction and also at 2018.
- 18. Comment: On page 11-4,LDEQ does not discuss how it satisfies the requirements of Section 51.308(d)(3)(v)(G), the anticipated net effect on visibility due to projected changes in point, area, and mobile source emission over the period addressed by the long term strategy. Response: Although the department does not believe that the Alpine Geophysics analysis in Appendix H of the SIP is reflective of the current situation in Louisiana, with the refinery initiative consent decrees and the consent decree at Rhodia, it does believe that these reductions along with the reductions due to CAIR will reduce visibility impairing pollutants thus improving visibility, the amount of improvement is uncertain.
- 19. **Comment:** LDEQ should specify within its SIP that it will submit its SIP revisions, five year report and SIP adequacy determination by dates certain as specified in Section 51.308(f), (g) and (h). **Response:** LDEQ has included a table in the SIP which outlines these dates.
- 20. Comment: LDEQ should ensure that it includes in its final SIP a description of how it addressed any comments provided by the FLMs, as required by Section 51.308(i)(3).
 Response: LDEQ has included in its comment and response summary those comments addressed by the FLM. Further, LDEQ participated in a telephone conference on November 5, 2007, during which the department and participants discussed each comment individually. The FLMs were given every courtesy afforded by the Clean Air Act. A copy of the comments is included in Appendix A, Public Notice and Participation.
- 21. **Comment:** LDEQ should include in its SIP procedures for continuing consultation between the State and FLMs as required by Section 51.308(i)(4).

Response: LDEQ has included specific procedures for continuing consultation in Section 2.4 of the final SIP document.

Forestry Comments:

 Comment: Louisiana does not indicate if sources in central and northern Louisiana have a significant cumulative impact on visibility at the Caney Creek Wilderness Area; further, LDEQ does not indicate whether or not these specific sources should be included under reasonable progress.

Response: The year 2018 CENRAP CAMx source apportionment (PSAT) modeling analysis, see Figure 9.4, indicates the Class I areas potentially impacted by emissions from all of Louisiana facilities. The impact at Caney Creek is just above 2 Mm⁻¹, which is low. Central Class I Areas Consultation Plan which included Caney Creek did not name Louisiana sources as having an

impact on visibility at Caney Creek. Therefore Caney Creek impacts were not included in the reasonable progress section.

2. **Comment:** Page 1-4, Section 1-3, paragraphs 4&5—Request by the US Forest Service that emission inventories from stationary sources within 300 km of Breton be reviewed from all states for potential visibility impacts to Breton.

Response: Louisiana will follow protocol or official guidance when assessing visibility impacts on Breton or Caney Creek. Louisiana will continue to request emissions inventory information from those states in the area of influence; however it has control of only Louisiana.

3. **Comment:** CALPUFF modeling does not present a convincing case (in support of BART modeling) when discussing visibility impacts to Caney Creek Wilderness Area.

Response: The section was rewritten.

4. **Comment:** Please provide more information on the consultation plans and time line regarding Louisiana's continued consultation process with States, tribes, and FLMs through the regional haze review and revision process.

Response: See commitment in Section 2.4

- 5. See Comment 8, Part 2 in first section (EPA comments)
- 6. **Comment:** Section 6.1, page 6-2, paragraph 3—LA suggests that an IMPROVE monitor to replace that destroyed by Hurricane Katrina be relocated to a site near Lake Catherine, St. Bernard Parish, over 80 km from Breton by January 2008. LA should include a summary of its analysis to chose this location, and conduct a similar analysis to locate the IMPROVE monitor in closer proximity to Breton, including an unprecedented option to locate the monitor near Gulf Port MS, approximately half the distance to Breton relative to Lake Catherine. **Response:** Louisiana does not have jurisdiction of the IMPROVE monitor. This is a federal program run by the IMPROVE Steering Committee, of which the Forest Service is a member.
- 7. **Comment:** Louisiana should provide additional discussion and alternatives on tracking regional haze progress besides the IMPROVE network.

Response: See comment 11, EPA

8. **Comment**: Chapter 7, Emissions Inventory, should include a comprehensive summary without the need to fully investigate the highly technical appendix D.

Response: Tables 7-1 and 7-2 provide a summary of the emission inventory.

9. Comment: Emissions Inventory tables 7-1 and 7-2 should include biogenics for comparison.

Response: See comment 12, EPA

10. **Comment:** Wants biogenic emissions included in tables 7-1 and 7-2

Response: LDEQ provided emission summaries on those emissions that can be reduced through control strategies. Biogenics do not fit the category and therefore will not be included.

11. **Comment:** Did the state conduct any source or category specific analysis on cost/benefit? Please provide analyses for in-state facilities.

Response: See attached work sheet for comment on cost of controls in Appendix K.

12. **Comment:** LDEQ suggests that models are used in a relative sense. As requested, please provide a discussion in an appropriate section about use of RRFs.

Response: The sentence in section 8.5 **referring** to models being used in a relative **sense** has been removed. The CENRAP contractor originally calculated baseline visibility, average baseline deciviews for the worst and best days, relative response factors, etc. for Breton. The only results supplied to any of the CENRAP states is the Technical Support Document (TSD) at appendix B. A discussion of using models in a relative sense is not included in the TSD. Nor are baseline visibility calculations, average baseline deciviews for the worst and best days, relative response factors, etc. for Breton.

13. **Comment:** Section 11.4, page 11-3, paragraph 3—Louisiana stated that "ongoing air pollution control programs were sufficient to meet RPGs through 2018." Commenter believes this statement has not been demonstrated.

Response: LDEQ believes that the national and state control strategy, coupled with the consent decree reductions will likely provide the state's apportionment of emission reductions to meet the 2018 mark. Poor CENRAP model performance for Breton and incomplete monitoring data makes analytical demonstration currently impossible.

14. **Comment:** Page 11-4 — Please include a more thorough discussion regarding Gulf emissions. **Response:** Gulf emissions include marine vessels and offshore platforms. An attempt was made to capture these in the CAMx source apportionment runs. See Section 2.11 MMS Off-shore Gulf of Mexico Emissions, 2.12, Off-shore Shipping Emissions, and 5.4 PM Source Apportionment Modeling in the Technical Support Document.

FLM Comments

15. **Comment:** Louisiana did not use the newly revised values and should incorporate them into their RH SIP.

Response: See Comment 8b, EPA

16. **Comment:** Please provide more detailed information with respect to all inventories and the assumptions made with respect to their development. While some inventory information may be found in other portions of the plan, it should also be clearly summarized in the SIP narrative.

Response: See Comment 12, EPA

17. **Comment:** Do the numbers in Tables 7.1 and 7.2 represent emissions from sources in the state or are they regional estimates.

Response: Emissions inventory summaries are for Louisiana only.

18. **Comment**: Discuss how emissions are projected to change and the consequences of such changes on meeting the state's regional haze goals. For example, the plan asserts that sulfur emissions are the primary visibility impairing pollutant, yet sulfur emissions associated with point and area sources are projected to increase.

Response: The contractors grew the emissions inventory using EPA approved methods. These methods predicted an increase in sulfur emissions; however, LDEQ has provided an emissions inventory for point sources from 2003-2006 which shows a decrease in sulfur. With the onset of CAIR and the ULSD national rule, these emissions should continue to decrease. See Appendix K.

- 19. Comment: The modeling performance assessment should be clearly described especially with respect to sulfates as they are identified as the primary visibility impairing pollutant of concern. Response: The modeling performance is described in 3.7.3 Breton Island (BRET), Louisiana in the Technical Support Document. The CENRAP contractor assessed model performance. Detailed information other than that in the technical support document was not supplied to the department.
- 20. **Comment:** Please specify if a presumptive level, some declared level, or no additional controls were assumed in 2018.

Response: The technical support document on page reads "on the books" control strategies. The department believes this means the controls listed on page 11-2 and 3 of the SIP.

21. **Comment:** Figure 8.2 *URP Glidepath for 20% Worst and Best Days*, provides a graphic Illustration of future model predictions versus the URP. Please include a discussion describing "method 1 prediction". Are Relative Reduction Factors incorporated into these graphs? If RRFs are assumed, please provide a discussion of what these factors are and how they are integrated into Glidepath predictions.

Response: Section 8.5 of the plan indicates that the uniform rate of progress glide paths were produced by drawing a line from the baseline observed visibility conditions for the 20 percent worst days to natural visibility conditions in 2064. Neither model output nor relative reduction factors were used in the construction of the glide paths. Therefore, no changes were made to the plan regarding how uniform rate of reasonable progress glide paths were produced.

22. Comment: AOI not addressed:

Response: The AOI in the Alpine Geophysics is addressed in Section 10.

Bart comments on the Regional Haze SIP

FLM and Forestry

1. **Comment:** On page 9-2, the plan states, "Consistent with the Guidelines, LDEQ did not evaluate emissions of VOC and ammonia in BART determinations..." Guidelines do require that the state evaluate ammonia and VOCs for BART. The state should consider either modeling these effects or provide an analysis on why these components are not significant contributors.

Response: The department agrees with the comment. A short analysis of BART VOC and ammonia emissions related to total VOC and ammonia emissions was added to the BART discussion.

a. Also, figure 9.1 Cenrap Modeled 20% Worst Days, is said to illustrate that VOCs do not contribute significantly to light extinction at the various Class I area, however VOCs are not included in the figure.

Response: The department agrees with the comment. Figure 9.1 was removed and replaced by 3 figures exhibiting the Breton monitoring data which indicates ammonium sulfates to be the predominate contributor to light extinction at Breton.

2. **Comment:** Please reconcile the information on page 9-4 with the information presented in Figure 9.1. The plan states that there are 7 Class 1 areas that experience a modeled impact over 1.0 deciview from sources located in Louisiana. However, 9.1 illustrates impacts at carious Class I areas in terms of light extinction (Mm⁻¹). Please correlate these units, so that it is clear how Louisiana sources affect the evaluated Class I areas.

Response: The department agrees with the comment. Figure 9.1 was renamed figure 9.4 and the text now indicates impacts at various Class I areas in terms of Mn⁻¹.

3. **Comment:** The BART discussion provided on pages 9-4 and 9-5 is confusing and needs further elaboration. The discussion of BART screening performed by the state seems to be a blend of modeled impacts of 0.5 deciview, development of an "artificial model" and an analysis of back trajectories. More information is needed to effectively describe methods used by the State in identification of the BART subject sources.

Response: The department agrees with the comment and that section has been rewritten.

a. For sources screened using an "artificial model" approach, a comparative analysis should be included to illustrate that the scenarios are "worst case". The plan needs to describe how the selected emission characteristics represent "worst case" conditions and how these conditions are indicators that sources at further distances will not have a higher impact.

Response: The department agrees with the comment and a sentence has been added to indicate that the stack height is more than twice that of any other Louisiana BART source that is closer to Class 1 areas to the north and west.

4. **Comment:** Pages 9-7 & 9-8: Supplementary artificial model examples are presented and used to eliminate BART eligibilities. Please provide additional information to support this inclusion, including discussion on how selected emission characteristics represent "worst —case" scenarios, and would prevent examples of more distance sources from showing higher impacts than the example set. Also, because the back trajectories in Figure 9.2 and 9.3 indicate even one day residence within LA corresponding to the 20% worst days, it is not reasonable to conclude that those BART facilities in LA show no impact to either Sipsey or Mammoth Cave.

Response: The department agrees with the comment. Figures 9.2 and 9.3 have been removed and replaced with VISTAS supplied residence times and are influence charts indicating no Louisiana facility impact at either Sipsey or Mammoth Cave.

Comment: The plan includes a list of BART sources, but no final decisions have been expressed.
 We are including comments specific to the three BART determinations included in Appendix G of the RH SIP.

Response: The department agrees with the comment. Language has been included that reads that the department has approved the BART determinations and the proposed controls will be included in air permits.

6. **Comment:** Both figures 9.4 and 9.6 are labeled BART Source CalPUFF Screening 2001. Please clarify and also include a discussion explaining the information presented in Figure 9.4, 9.5 and 9.6.

Response: The department agrees with the comment. Figure 9.6 was inadvertently repeated, the 2003 figure has been added. Figures 9.4, 9.5, and 9.6 have been renamed figures 9.9, 9.10, and 9.11 and a sentence describing the information in these figures has been added.

7. Comment: The state does not provide sufficient information to fully evaluate BART steps or provide a conclusion on the sources requiring BART determinations. In cases where BART is being established through other programs (i.e. consent decree) the state must show that the final action results in controls that would be at or better than those achieved through a full BART determination.

Response: The department does not agree with the comment. 40 CFR 51 Appendix Y includes guidelines for determining the costs of compliance for BART controls. The Guidelines do not specifically address how to determine the costs of compliance when a facility is subject to a consent decree. The department assumed that the costs required by the consent decree were solely associated with the consent decree and this implied that the same costs associated due to a BART requirement were then \$ 0. Thus, for ConocoPhilips, the cost effectiveness was the reduction of 6300 tons of visibility impairing pollutants at a cost of \$0. For Rhodia, the cost effectiveness was the reduction of 9000 tons of visibility impairing pollutants also at \$0.

Looking at this in a completely different way, EPA has determined that the Clean Air Interstate Rule (CAIR) may satisfy BART requirements (40CFR 51.308(e)(4)) if the state participates in the EPA administered trading programs. In Louisiana there are 35 facilities that are subject to CAIR and Louisiana has two EPA approved CAIR SIPs (72 FR 55064, September 28, 2007 and 72 FR 39741, July 20, 2007) that rely on the EPA's trading programs. EPA estimates that the CAIR program will result in total 2015 Louisiana electrical generating units (EGUs) NOx and SO2 emissions of 92,000 tons. The department's emission inventory indicates 2006 EGU NOx and SO2 emissions to be 160,182 tons. There is a difference of 68,182 tons between the 2006 actual and the 2015 projected emissions or about 2000 tons per facility. The Rhodia consent decree reduces SO2 by 9000 tons and the ConocoPhillips consent decree reduces NOx and SO2 by 6300 tons, both more than triple the CAIR average. Since EPA determined that CAIR is better than BART then it appears that these consent decrees are also better than BART

EPA Comments:

Comment: Ammonia discussion/TAP discussion. If LDEQ is counting on emission reductions
from this program as part of its regional haze strategy, it should provide the detail necessary for
Region 6 to access it.

Response: The department does not agree with the comment. EPA Region 6 has been receiving air toxic emissions data as part of the 105 grant for years. EPA should already know that since the promulgation of the state Air Toxics rule ammonia emissions have decreased from 50.5 million pounds in 1991 to 10.4 million pounds in 2005 for a decrease of about 80%. While the department is not counting on the Air Toxics Rule as part of its regional haze strategy, it is counting on the rule to maintain those ammonia emission reductions.

- 2. **Comment:** Please provide rationale for choosing 0.05 dv as the BART screening model threshold. **Response:** The department agrees with the comment and a short rationale has been added.
- 3. **Comment:** Word-smithing tweak requested on Page 9-3 "Initially, model-like facilities...from the BART requirement."

Response: The department agrees with the comment, the whole chapter has been rewritten.

Comment: Trajectories comment same as FLM and Forestry.
 Response: The department agrees with your comment. See response to comment 4 from FLM above.

5. **Comment:** On page 9-7, LDEQ references Appendix E as including a spreadsheet containing the ratio of the total visibility impairing emissions to the distance to Class I areas. However, Appendix E only contains a listing of potential BART eligible units and does not contain their distances to Class I areas or the stated ratio. Since that information appears central to LDEQ's BART elimination strategy, LDEQ should revise Appendix E accordingly.

Response: The department agrees with your comment. The spreadsheets listing BART-eligible units and their distances to the Class I areas have been included in the Chapter.

- 6. Page 9-1: Include additional information that describes in detail how it selected those sources listed in E to be BART eligible.
 - a. Facilities initially identified
 - b. Survey response verification

Response: The department agrees with your comment. Additional information has been added to that section.

7. **Comment:** From the documentation on the hybrid BART screening modeling discussed on pages 9-7 through 9-14 some of the methodologies conducted and steps in the methodology are unclear. Appendices E-G appear to contain some of the BART engineering analyses and some tables and charts on the hybrid analysis, but not sufficient write-up to allow full review of the methodology and conclusions that were made. Links to where the modeling files can be downloaded for review or otherwise obtained should be included in the SIP write-up. In

general, LDEQ should revise this part of Chapter 9 to provide more detail on this strategy. In particular, LDEQ should address the following:

- a. See comment 5
- b. For the Caney Creek strategy, LDEQ states that instead of using a model plant approach, it modeled Smurfit Stone Container Enterprise and ChemTrade Refinery Services. LDEQ should provide more details on this strategy and how it effectively covers the ten other facilities that LDEQ states are closer to Caney Creek, and how the Graphic Packaging International facility is related to this investigation.
- c. For the Breton strategy, LDEQ should explain how modeling the Conoco facility led to modeling Big Cajun 2, which led LDEQ to send letters to ten facilities requesting they perform refined CALPUFF modeling. It is also unclear if SO2 predominant sources were screened out based on the PM 2.5 modeling conducted by Big Cajun 2.

Response: The department agrees with your comments. The entire BART chapter has been rewritten to provide for more clarity.

- 8. **Comment:** LDEQ should discuss their final BART determinations that are contained in Appendix G in detail within the main section of the SIP, demonstrate how these facilities completed their respective five factor analyses under 51.308(e)(1)(iii)-(v) were satisfied, if applicable. **Response:** The department agrees with the comment. Language will be added to satisfy this comment.
- 9. **Comment:** Although the impact of CAIR on BART is discussed briefly on page 9-8, LDEQ should expand this section so this is clear to the reader. LDEQ should still make an affirmative determination for fossil-fuel fired power plants having a total generating capacity greater than 750 megawatts pursuant to the BART guidelines, as required under 51.308(e)(1)(ii)(B). Region 6 understands that due to its CAIR participation this demonstration will be limited but it should still be made. LDEQ should also demonstrate how it has satisfied 308(e)(4) concerning CAIR documentation.

Response: The department agrees with your comment. Language will be added to the BART chapter to address CAIR participation.

Example Natural Background Calculation for Breton The coefficients below were chosen at 90% relative humidity

Fs(RH)Small Sulfate--- 4.9

F_L(RH)Large Sulfate--- 3.53

Fs(RH)Small Nitrate — 4.9

F_L(RH)Large Nitrate — 3.53

Fss(RH)Sea Salt—5.12

From VIEWS

Rayleigh—11

The new refined IMPROVE algorithm with Trijonis' estimates for natural conditions:

2.2* $F_s(RH)$ Small Sulfate * 0.227355 +4.8* $F_L(RH)$ Large Sulfate * 0.002645

+2.4* F_s (RH)Small Nitrate * 0.0995 +5.1* F_L (RH) Large Nitrate* 0.0005

+2.8* Small Organic Carbon* 1.302 +6.1* Large Organic Carbon* 0.098

+10*0.02 +1*0.5 +1.7* F_{ss} (RH)Sea Salt * Sea Salt +0.6*3

+ Rayleigh= 32.95972928

10*LN(32.95972928/10)= 11.92701398